


LEDinspect TORCH 250 ESSENTIAL



Bright LED output

250 Lumen output to illuminate the dark effortlessly



2x AAA Batteries included

Includes the replaceable AAA batteries required



Convenient pocket clip

Attach the torch to jeans, backpacks and more with ease



250 Lumen adjustable torch for versatile use

The OSRAM LEDinspect™ TORCH 250 ESSENTIAL is a versatile and durable LED torch designed for both professional and everyday use. With its robust aluminium construction, this torch is built to withstand tough conditions while remaining lightweight and easy to carry.

Offering 250 lumens on High, the adjustable focus allows you to switch between a wide floodlight or a precise spotlight with a simple twist of the head. Three lighting modes – High, Low, and Flash – provide flexibility for various situations, from detailed inspections to emergency use.

Designed for convenience, the built-in pocket clip keeps the torch securely within reach, while the IP44 rating ensures protection against dust and water splashes. Powered by 2x AAA batteries, it delivers up to 2 hours of runtime on High and an extended 6 hours on Low, making it an essential tool for workshops, garages, and on-the-go use.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	LED inspection lights
---	-----------------------

General Product Information

Global order reference	LEDIL427ESN
------------------------	-------------

Electrical Data

Nominal wattage	2 W
Nominal voltage	3 V

Photometric Data

Nominal luminous flux	250 lm
Light color LED	White

Physical Attributes & Dimensions



Product weight	38.00 g
Length	18.5 mm
Width	18.5 mm
Height	132.5 mm

LED module information

Number of LEDs per module	1
---------------------------	---

Colors & materials

Base color	Black / Orange
------------	----------------

Lifetime Data

Product datasheet

Guarantee	2 years
-----------	---------

Capabilities

Technology	LED
------------	-----

Certificates & standards

Standards	CE, EMC, MSDS, ROHS, UKCA
-----------	---------------------------

Environmental & Regulatory Information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	96f1bb59-3891-45a4-82d3-a54759789587

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172415811	INSPECTION LAMP	Folding carton box 1	42 mm x 26 mm x 133 mm	0.14 dm ³	51.00 g
4062172415828	INSPECTION LAMP	Shipping carton box 10	150 mm x 95 mm x 148 mm	2.11 dm ³	558.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction GPRS_Safety symbols instructions

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

