

LEDinspect 3-IN-1 INSPECTION LIGHT KIT



Bright LED torch

500 Lumen LED torch with adjustable focus beam




Adjustable inspection light

Bright 450 Lumen inspection light with 180° rotating head



Magnetic gooseneck light

Place light exactly where you need it with the fully flexible gooseneck with 160 lumen output



Versatile, 3-in-1 Kit with multiple modes for different tasks

The OSRAM LEDinspect™ 3-IN-1 INSPECTION LIGHT KIT is an innovative and adaptable lighting solution for users who need flexibility and performance. This multifunctional kit contains three interchangeable attachments - a flashlight, an inspection light and a gooseneck light - making it ideal for automotive, workshop and general inspection work. Each attachment has four lighting modes - high, medium, eco and flash - for different tasks. The powerful 500 lumen flashlight provides focused illumination for up to 2 hours on the High setting, while the 450 lumen inspection light offers wide illumination with an adjustable double joint that can be rotated 180° and 230° for precise positioning. The 160 lumen gooseneck light offers up to 7 hours of operation on the high setting and an adjustable spot-to-flood function for more versatility.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	LED inspection lights
---	-----------------------

General Product Information

Global order reference	LEDIL417
------------------------	----------

Electrical Data

Nominal wattage	10 W
Nominal voltage	5 V

Photometric Data

Nominal luminous flux	500 lm
Light color LED	White

Physical Attributes & Dimensions



Product weight	775.00 g
Length	235.0 mm
Width	180.0 mm
Height	45.0 mm

LED module information

Number of LEDs per module	1
---------------------------	---

Colors & materials

Base color	Black / Orange
------------	----------------

Lifetime Data

Product datasheet

Guarantee	2 years
-----------	---------

Capabilities

Technology	LED
------------	-----

Certificates & standards

Standards	CE, EMC, MSDS, ROHS, UKCA
-----------	---------------------------

Logistical data

Watt hour per battery	14.10
-----------------------	-------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	d7497ae5-dfe4-4cf9-9b6e-d78f63bbaebd

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172415989	INSPECTION KIT	Sleeves 1	231 mm x 49 mm x 113 mm	1.27 dm ³	797.00 g
4062172415996	INSPECTION KIT	Shipping carton box 4	247 mm x 217 mm x 209 mm	11.20 dm ³	3413.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction LEDinspect 3-IN-1 INSPECTION LIGHT KIT LEDIL417
	User instruction GPRS_Safety symbols instructions
	Video LEDinspect 3-IN-1 INSPECTION LIGHT KIT

Product datasheet



Video
LEDinspect 3-IN-1 INSPECTION LIGHT KIT

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM