

LEDiving tail lights for VW Golf VI

Legal and powerful LED upgrade



Dynamic LEDs

Upgrade to the latest OEM premium technology



Plug & Play


Quick and uncomplicated modification and installation



ECE-certified

ECE

R6/R7/R10/R23/R38/R48No registration in the car documents required



2-year OSRAM guarantee²⁾

Systematic quality assurance measures underpin the premium workmanship and functionality of our products.



Switch on the WOW with OSRAM LEDiving tail lights

Innovative & Up-to-date

Driven by our pursuit for innovation and quality, we are redefining vehicle lighting from OSRAM. With the addition of the OSRAM LEDiving taillights for VW Golf VI the extensive OSRAM LED portfolio has received an additional upgrade. These LED taillights offer an innovative design to impressively complement the individual look of your vehicle. They bring precise lighting to the rear of your vehicle and are also an upgrade to the latest OEM premium technology. The OSRAM LEDiving taillights for VW Golf VI are composed of: LED position light, LED brake light, LED rear fog light and dynamic LED indicator.

The taillights score thanks to high-performance long-life LEDs with intense brightness and impressive high contrast day and night and are also highly efficient with up to 80% less energy consumption¹⁾. They also impress with a homogeneous light distribution thanks to innovative light guide technology and modern diffuser material. As a result of all these aspects, the possibility of an improved perception of your vehicle also results in increased safety in road traffic.

Completely legal & uncomplicated conversion

Accentuating the vehicle completely legally, in a straightforward and extremely stylish way with eye-catching accents is now very easy with the latest OSRAM innovations. According to the ECE guidelines, the

necessary tests and approvals have been carried out on the OSRAM LEDriving taillights which means that they are therefore completely legal in road traffic and a registration into the vehicle documents is not necessary. ECE certified according to ECE R6/R7/R10/R23/R38/R48.

The Plug & Play technology ensures a quick and uncomplicated installation of the OSRAM LEDriving taillights, existing cables do not have to be changed or damaged.

Tested OSRAM quality according to DIN EN ISO/IEC 17025

The OSRAM LEDriving taillights have been tested in our DIN-certified environmental simulation laboratory for extreme external influences regarding water, dust, cold & warm temperatures, UV light and permanent vibrations and validated with the IP protection class IP69K.

Switch on the WOW with the OSRAM LEDriving taillights

Application Advice:

- Suitable for all VW Golf VI models (2008-2012) with original equipment halogen taillights
- Not suitable for VW Golf VI station wagon
- Not suitable for VW Golf VI with original equipment LED taillights
- Not suitable for RHD Models

1) Compared to halogen taillights

2) for precise conditions please refer to: www.osram.com/am-guarantee

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Full LED Taillight
---	--------------------


General Product Information

Global order reference	LEDTL102-CL
------------------------	-------------

Electrical Data

Nominal wattage	30.00 W
Nominal voltage	12 V

Physical Attributes & Dimensions



Product weight	4000.00 g
Length	480.0 mm
Width	280.0 mm
Height	205.0 mm

Lifetime Data

Lifespan Tc	5000 hr
Guarantee	2 years

Additional product data

Connector to lamp	Plug&Play
-------------------	-----------

Capabilities

Technology	LED
------------	-----

Certificates & standards

Product datasheet

Approval marks – approval	E4 approval
Standards	ECE R6, R7, R10, R23, R38, R48

Environmental & Regulatory Information







Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4052899617001
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	4b329fe9-09b7-4525-a87c-c1707989bdd7

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899617001	LEDiving tail lights for VW GOLF VI	Shipping carton box 1	597 mm x 510 mm x 288 mm	87.69 dm ³	6310.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction LEDiving Tail Light
	User instruction GPRS_Safety symbols instructions
	Movie application LEDiving Tail Light for Golf VI Install Video (EN)
	Movie application LEDiving Tail Light for Golf VI Trailer (IT)
	Movie application LEDiving Tail Light for Golf VI Product Trailer (EN)
	ref_pim_ams_p_product360degreeimages OSRAM LEDiving Tail Light for VW Golf VI

Legal advice

Legal advice:

Product datasheet

The OSRAM LEDriving taillights are fully legal and ECE compliant for a replacement of OEM taillights and therefore registration free. This does not include individual custom requirements of countries, in addition to the standardized ECE certification of the product.1) Compared to other rear lights

2) for precise conditions please refer to: www.osram.com/am-guarantee

Application advice:

Suitable for all VW Golf VI models (2008-2012) with original equipment halogen taillights

- Not suitable for VW Golf VI convertible
- Not suitable for VW Golf VI station wagon
- Not suitable for VW Golf VI with original equipment LED taillights
- Not suitable for RHD Models

Application advice:

For more detailed application information and graphics please see product datasheet.

Disclaimer:

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.