

ONYX COPILOT USB

Flexible LED reading light



20 lm

Pleasantly warm and glare-free light

37 cm

370 mm neck length powered via USB

Multifunctional use

This stylish reading light is suitable for all vehicles with USB connection



Precisely illuminating vehicle interiors

With its elegant and dynamic design, the ONYX COPILOT LED reading light achieves seamless integration into vehicle interiors. With its high flexibility, the reading light has a wide range of options for illuminating specific areas of the vehicle interior. The neck of the light is made of matt black silicon rubber and can be individually adjusted. The LED lifetime of ONYX COPILOT is extremely long: up to 20,000 hours! The Luminaire can be switched on/off and remain connected permanently. OSRAM provides a 2 year guarantee for this stylish light.

Product family datasheet

Technical data

Product description	Product information		Electrical data	Photometrical data	Dimensions & weight	Colors & materials
	Order reference	Application (Category and Product specific)	Nominal wattage	Luminous flux	Length	Base color
ONYX COPILOT	ONYX COPILOT USB	Flexible LED reading light	0.50 W	18 lm	394.0 mm	Black

Product description	Lifespan	Additional product data	Capabilities	Certificates & standards
	Guarantee	Connector to lamp	Technology	Type of protection
ONYX COPILOT	2 years	USB	LED ¹⁾	IP20

		Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
Product description	Standards	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
ONYX COPILOT	CE	06-03-2024	4052899601000	Lead

Product description	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
ONYX COPILOT	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	cfe381e9-de61-47be-8ff4-79f99a462d05

¹⁾ Light-emitting diode application

Download Data

File	
	User instruction LED ONYX COPILOT USB
	360 Degree Image ONYX Copilot USB

References / Links

Guarantee terms are available at www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.