


# LEDDriving SL C5W 6413 WHITE

理想车辆的理想升级品




**Suitable for various vehicle exterior applications**

冷白可供选择



**Replaces conventional C5W lamps**

Easy upgrade to LED technology with plug & play solutions



**Reliable OSRAM quality stands for less lamp replacements**

4-year OSRAM guarantee (refer to [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee) for precise conditions)



## Suitable LED replacement for C5W

LEDDriving SL C5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional C5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

产品系列数据表

技术参数

|                               |        |      |      |        |       |
|-------------------------------|--------|------|------|--------|-------|
| 产品描述                          | 电参数    |      |      |        | 光度数据  |
|                               | 功率输入   | 标称电压 | 标称功率 | 测试电压   | 光通量   |
| LEDriving SL $\triangleq$ C5W | 0.75 W | 12 V | 1 W  | 13.5 V | 70 lm |

|                               |            |                                  |             |         |                                                                                                                 |
|-------------------------------|------------|----------------------------------|-------------|---------|-----------------------------------------------------------------------------------------------------------------|
| 产品描述                          | 光通量容许偏差    | Physical Attributes & Dimensions | 寿命          |         | Environmental & Regulatory Information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |
|                               |            | 直径                               | Lifespan B3 | 使用寿命 Tc | Primary Article Identifier                                                                                      |
| LEDriving SL $\triangleq$ C5W | $\pm 30\%$ | 11.0 mm                          | 2500 hr     | 5000 hr | 4062172421218                                                                                                   |

|                               |                                  |
|-------------------------------|----------------------------------|
| 产品描述                          | Declaration No. in SCIP database |
| LEDriving SL $\triangleq$ C5W | In work                          |

# 产品系列数据表

## 下载数据

| 文件                                                                                |                                                      |
|-----------------------------------------------------------------------------------|------------------------------------------------------|
|  | User instruction<br>GPRS_Safety symbols instructions |

### 安全建议

Canbus compatibleColoured lamps for usage behind coloured glass

### 法律建议

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

### 应用建议

更多详细应用信息和图形,请参阅产品数据表。

### 免责声明

更改恕不另行通知。遗漏错误不承担任何责任。总是确保使用最新的信息。