Product family datasheet

LEDriving SL P21/5W WHITE

Ideal replacement for any vehicle



Suitable for various vehicle exterior applications Available in Cool White



Replaces conventional P215W lamps Easy upgrade to LED technology with plug & play solutions



Reliable OSRAM quality stands for less lamp replacements 4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)



Suitable LED replacement for P21/5W

LEDriving SL P21/5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional P21/5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

OSRAM

Product family datasheet

Technical data

	Product information		General Product Electrical Data Information		Data
Product description		oplication (Category d Product specific)	Global order reference	Power input	Nominal voltage
LEDriving SL ≜ P21/5W	P21/5W sig	ainly used for gnal/ indicator plications	7528DWP	2.50 / 0.5 W	12.0 V
			Photometric Data		Physical Attributes & Dimensions
Product description	Nominal wattage	Test voltage	Nominal luminous flux	Luminous flux tolerance	Diameter
LEDriving SL \triangleq P21/5W	1 W	13.5 V	145/30 lm	±15 %	27.0 mm
	Lifetime Data	Capabilities	Environmental & Re Information accordi	-	

Product description	Candidate list substance 1	CAS No. of substance 1	Safe use instruction	Declaration no. in SCIP database
LEDriving SL ≙ P21/5W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	026eb835-3aa5- 4bfa-a635- bb4b42c468ab

Technology

LED¹⁾

Date of declaration

09-07-2024

Primary article

4062172151726 | 4062172401197

identifier

Lifespan

1500 hr

B3

Lifespan

4000 hr

Тс

1) Light-emitting diode lamp

Product description

LEDriving SL \triangleq P21/5W

Product family datasheet

Download Data

 File

 Image: Second s

Safety advice

Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.