Product family datasheet

LEDriving SL P21W WHITE

Ideal replacement for any vehicle

Suitable for various vehicle exterior applications
Available in Cool White

Replaces conventional P21W lamps
Easy upgrade to LED technology with plug & play solutions

Reliable OSRAM quality stands for less lamp replacements
4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)

Suitable LED replacement for P21W

LEDriving SL P21W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional P21W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Technical data

	Electrical Data				Photometric Data
Product description	**Power input**	**Nominal voltage**	**Nominal wattage**	**Test voltage**	**Nominal luminous flux**
LEDriving SL ≙ P21W	1.8 W	12 V	1 W	13.5 V	160 lm

		Physical Attributes & Dimensions	Lifetime Data		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)
Product description	**Luminous flux tolerance**	**Diameter**	**Lifespan B3**	**Lifespan Tc**	**Primary article identifier**
LEDriving SL ≙ P21W	±25 %	25.0 mm	1500 hr	4000 hr	4062172348652 | 4062172152181 | 4062172401210 | 4062172408318

Product description	**Candidate list substance 1**	**CAS No. of substance 1**	**Safe use instruction**	**Declaration no. in SCIP database**
LEDriving SL ≙ P21W	Lead	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	4b523b49-273b-43fa-a900-dfef06fdea31 | e75f732e-151e-4392-9807-f15711d460b4 | cbc40782-6f5e-4a73-ad3f-4f03b28c1891 | 431a14a2-e6f5-451f-b379-4763b7bc7850

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice
Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice
These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, OSRAM GmbH. All rights reserved.