Product family datasheet

LEDriving SL P21/5W WHITE

Ideal replacement for any vehicle

Suitable for various vehicle exterior applications
Available in Cool White

Replaces conventional P21/5W lamps
Easy upgrade to LED technology with plug & play solutions

Reliable OSRAM quality stands for less lamp replacements
4-year OSRAM guarantee (refer to www.osram.com/am-guarantee for precise conditions)

Suitable LED replacement for P21/5W

LEDriving SL P21/5W replacement lamps offer a modern and intense light with a color temperature up to 6,000 Kelvin. These replacement lamps are suitable for all conventional P21/5W lamp bases. In comparison to standard lamps, these LED retrofit lamps use up to 80% less energy. OSRAM offers a 4 year guarantee for these LEDriving SL lamps. These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Technical data

	Electrical Data					Photometric Data
Product description	**Power input**	**Nominal voltage**	**Nominal wattage**	**Power input tolerance**	**Test voltage**	**Nominal luminous flux**
LEDriving SL ≙ P21/5W	2.50 / 0.5 W	12 V	1 W	±25 %	13.5 V	145/30 lm

	Physical Attributes & Dimensions			Lifetime Data
Product description	**Lamp base**	**Length**	**Diameter**	**Lifespan B3**
LEDriving SL ≙ P21/5W	BAY15d	52.5 mm	27.0 mm	1500 hr

		Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Product description	**Lifespan Tc**	**Primary article identifier**	**Candidate list substance 1**	**CAS No. of substance 1**
LEDriving SL ≙ P21/5W	4000 hr	4062172151726 | 4062172401197	Lead	7439-92-1

Product description	**Safe use instruction**	**Declaration no. in SCIP database**
LEDriving SL ≙ P21/5W	The identification of the Candidate List substance is sufficient to allow safe use of the article.	026eb835-3aa5-4bfa-a635-bb4b42c468ab

© 2026, OSRAM GmbH. All rights reserved.

Product family datasheet

Download Data

	File
	User instruction GPRS_Safety symbols instructions
	Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice
Canbus compatibleColoured lamps for usage behind coloured glass

Legal advice
These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

Application advice
For more detailed application information and graphics please see product datasheet.

Disclaimer
Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2026, OSRAM GmbH. All rights reserved.