

BackLED G4- Mounting Profile

LED modules for light advertising and backlighting – Accessories



Product family features

- Overall length available in 1.5 m and 2 m
- Compatible with BackLED G4 family
- Suitable for BA-M-CP-G4 / BA-M-HO-CP-G4 / BA-S-CP-G4

Product family benefits

- Can be easily shortened to any length
- Quick and simple snap-in fixing of the LED modules, no tools required
- Robust aluminum profile
- Quick and easy mounting of the profile with self-tapping screws or pop rivets

Areas of application

- Suitable for BackLED S CP G4, BackLED M HO CP G4 and BackLED M Plus G4


Product family datasheet

Technical data

Dimensions & weight

Product description	Product weight	Length	Width	Height
BA -MP-M-CP-2	136.00 g	2000 mm	16.3 mm	7.0 mm

Product line drawing



BA -MP-M-CP-2

Capabilities

Product description	Control interface	Detection angle (Light sensor)	Detection angle (PIR)
BA -MP-M-CP-2	-	-	-

Logistical data

Product description	Commodity code
BA -MP-M-CP-2	761699909900

Product family datasheet

Environmental information

Product description	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
BA -MP-M-CP-2	11-01-2022	4062172168410	No declarable substances contained

Product description	CAS No. of substance 1	Declaration No. in SCIP database
BA -MP-M-CP-2	No CAS	No declarable substances contained

Application advice

For more detailed application information and graphics please see product datasheet.

Sales and Technical Support

Sales and Technical Support www.osram.com

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172168410	BA -MP-M-CP-2	Shipping carton box 50	2015 mm x 150 mm x 80 mm	24.18 dm ³	8865.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.