Product family datasheet

OSRAM

BATTERYstart 300

Jump starters



Engine size compatibility

To jump start 12 V vehicles with up to 6 L petrol engines and 3 L diesel engines



Battery Power Powerful 13,000 mAh Lithium Cobalt battery



Powerbank-Function Charging electronic devices including smart phones and tablets



Compact and powerful lithium jump starter with power bank feature

The OSRAM BATTERYstart300 compact Lithium Cobalt LiCoO2 jump starter for small to medium 12V vehicles up to 6L petrol engines and 3L diesel engines.Smaller in size than most typical jump starters, the BATTERYstart300 is a compact solution without compromising on power. It includes intelligent safety clamps to keep the jump starter, user and vehicle safe with reverse-polarity, anti-spike and short circuit protection.Comes with a bright LED light and a power bank feature, which allows you to charge electronic devices on the go – just connect a USB charger and the power bank will kick in.

Product family datasheet

Technical data

	Product inf	ormation			
Product description	Efficiency		Recommended Pe Engine size (up te		
BATTERY start 300 ¹⁾	Better		6 l	3 l	2
			Electrical data		Dimensions & weight
Product description		12V Power socket connection		Peak Amps	Length
BATTERY start 300 ¹⁾	n/a		300	1500	1680 mm
				al information according Art. 33 of EU Reg	gulation (EC) 1907/2006
Product description	Width	Height	Date of Decla	aration Primary Article Identifier	e Candidate List Substance 1

Product description	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
BATTERY start 300 ¹⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ada11f03-1c52-4c49- 9f3f-4ab9687039c7

¹⁾ Up to 6L Petrol 3L Diesel

_

Product family datasheet

Download Data

	File
7	User instruction BATTERYstart
D	Movie application BatteryStart How to Video (EN)
D	Product movie OSRAM BATTERYstart 300 Product Video (EN)

Application advice:

For more detailed application information and graphics please see product datasheet.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.