

BATTERYstart 300

Jump starters




Engine size compatibility



Battery Power

Powerful 13,000 mAh Lithium Cobalt battery



Powerbank-Function

Charging electronic devices including smart phones and tablets



Compact and powerful lithium jump starter with power bank feature

The OSRAM BATTERYstart300 compact Lithium Cobalt LiCoO₂ jump starter for small to medium 12V vehicles up to 6L petrol engines and 3L diesel engines. Smaller in size than most typical jump starters, the BATTERYstart300 is a compact solution without compromising on power. It includes intelligent safety clamps to keep the jump starter, user and vehicle safe with reverse-polarity, anti-spike and short circuit protection. Comes with a bright LED light and a power bank feature, which allows you to charge electronic devices on the go – just connect a USB charger and the power bank will kick in.

Product family datasheet

Technical data

Product description	Product information			
	Efficiency	Recommended Petrol Engine size (up to)	Recommended Diesel Engine size (up to)	USB sockets 2.1A
BATTERY start 300 ¹⁾	Better	6 l	3 l	2

Product description	12V Power socket connection	Electrical data		Dimensions & weight	
		Cranking Amps	Peak Amps	Height	Width
BATTERY start 300 ¹⁾	n/a	300	1500	33.0 mm	88.0 mm




Product description	Length	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
		Date of Declaration	Primary Article Identifier	Candidate List Substance 1
BATTERY start 300 ¹⁾	168.0 mm	01-01-2022	4052899620483	Lead

Product description	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
BATTERY start 300 ¹⁾	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	ada11f03-1c52-4c49-9f3f-4ab9687039c7

¹⁾ Up to 6L Petrol 3L Diesel

Product family datasheet

Download Data

File	
	User instruction BATTERYstart
	Movie application BatteryStart How to Video (EN)
	Product movie OSRAM BATTERYstart 300 Product Video (EN)

Application advice:

For more detailed application information and graphics please see product datasheet.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.