

# ROADSIGHT 50

1440p dash camera with wifi and OSRAMconnect



**GPS**

Tracks vehicle location and speed



**140° field of view**

Captures a wide view of the road



**Wifi enabled**

Easy data storage

**OSRAMconnect**

Connecting you with your car via app



**Compact dashcam for high-resolution recordings**

An installed OSRAM ROADsight 50 dashcam can offer peace of mind while driving in your car. With a full 1440p 30fps resolution and 140-degree lens, get high quality recordings with a wide view of the road and pick up features easily such as number plates and road signs. With WiFi and OSRAMconnect compatibility, easily access footage and images you might need in the future. Track your vehicle's location and speed with the GPS feature. Compact and sleek design can keep drivers from being distracted by the camera keeping your eyes on the road. If your car has a collision whilst it is parked, parking mode switches the dashcam on to record anything that's going on around your car within the 140° field of view. Automatically save footage from your dashcam when a collision occurs to save evidence for later use. Save up to 128 GB of footage with an SD card. A magnetic mount and trim removal tool allow for easy installation. SD card not included.

# Product datasheet

## Technical data

### Product information


<b>Resolution</b>	1440p
<b>FPS</b>	30 <sup>1)</sup>
<b>FOV</b>	140 <sup>2)</sup>
<b>Memory size up to</b>	128 GB
<b>G-Sensor</b>	Yes <sup>3)</sup>
<b>GPS</b>	Yes

1) Frames per second

2) Field of View

3) Shock sensor

### Physical Attributes & Dimensions



<b>Length</b>	390.0 mm
<b>Width</b>	195.0 mm
<b>Height</b>	150 mm

### In-Box Accessories

<b>Trim removal tool in box</b>	Yes
<b>Warning window sticker in box</b>	Yes
<b>DUAL USB charger (5V, 3A)</b>	Yes
<b>USB cable for power</b>	Yes

### Hardware Features

<b>Mount Type</b>	Magnetic
<b>Screen Size</b>	No screen
<b>Touchscreen</b>	No

## Product datasheet

### Software Features

Bluetooth	No
B&W Night Vision	Yes
Wi-Fi	Yes
Parking Mode	Yes
Speed Limit Alarm	No
License plate in FW	Yes

### Environmental & Regulatory Information






Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	da4bf785-d964-4d2e-ae84-3c54ff101480

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172182744	ROADSIGHT 50	Folding carton box 1	182 mm x 121 mm x 87 mm	2.29 dm <sup>3</sup>	176.00 g
4062172182751	ROADSIGHT 50	Shipping carton box 4	374 mm x 190 mm x 168 mm	11.94 dm <sup>3</sup>	950.00 g




The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	User instruction ROADsight 50 (CZ)
	User instruction ROADsight 50
	User instruction ROADsight 50
	User instruction ROADsight 50 (HU) (EN)
	Movie application RoadSight How-To-Video (EN)

## Product datasheet

---

	Movie application RoadSight How-To-Video (ITA)
	Product movie OSRAM ROADsight 50 Product Video (DE)
	Product movie OSRAM ROADsight 50 Product Video (EN)

---

### Legal advice

Please note: Individual special requirements and legislation of the countries must be observed, especially concerning the duration of the records/use and the transfer of data. Please make yourself familiar with the data protection laws of your country and ensure that you comply with them.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM