


# ROADSIGHT Rear

Rear camera with 1080p



**Compact design**

Fits unobtrusively into the vehicle



**130° field of view**

Captures a wide view of the road



**Compatible with the OSRAM ROADsight 50**

For a good overview of the road in front and behind the car



### Compact and discreet dashcam for rear view of the road

An installed OSRAM ROADsight REAR 10 dashcam can offer peace of mind while driving in your car. Working with the OSRAM ROADsight 50, this rear camera keeps you aware of what may be happening behind you when you're driving in your car. With full 1080p 30fps recording, the ORSDCR10 has clear, high quality recording in order to pick up any features that could be useful. The OSRAM ROADsight Rear 10 is a discreet dashcam – its size and colour keep the dashcam hidden from view and do not distract whilst driving. A 130-degree wide lens gives a broad view of the road behind you.

With the OSRAM ROADsight 50, get the a very good view on the front and rear of your car.

# Product datasheet

## Technical data

### Product information


<b>Resolution</b>	1080p
<b>FPS</b>	30 <sup>1)</sup>
<b>FOV</b>	130 <sup>2)</sup>
<b>G-Sensor</b>	No <sup>3)</sup>
<b>GPS</b>	No
<b>Rear Cam Support</b>	No

1) Frames per second

2) Field of View

3) Shock sensor

### Physical Attributes & Dimensions



<b>Length</b>	390.0 mm
<b>Width</b>	195.0 mm
<b>Height</b>	150 mm

### In-Box Accessories

<b>Warning window sticker in box</b>	Yes
--------------------------------------	-----

### Hardware Features

<b>Polarising Filter Support</b>	No
<b>Mount Type</b>	Slot in
<b>Touchscreen</b>	No

### Software Features

<b>Bluetooth</b>	No
<b>Wi-Fi</b>	No

## Product datasheet

Parking Mode	No
--------------	----

### Environmental & Regulatory Information









Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	af6d0301-dda7-4e61-bcb0-fb0598e019cc   8f76f873-037a-4b67-9e41-527e2005c160   bbfb61b8-df06-4a35-8133-98f2005a6338

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172182768	ROADSIGHT Rear	Folding carton box 1	182 mm x 121 mm x 87 mm	2.29 dm <sup>3</sup>	229.00 g
4062172182775	ROADSIGHT Rear	Shipping carton box 4	374 mm x 190 mm x 168 mm	11.94 dm <sup>3</sup>	1162.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	User instruction ROADsight 10 (HU) (EN)
	User instruction ROADsight 10
	User instruction ROADsight Rear 10
	User instruction ROADsight 10 (CZ)
	Movie application RoadSight How-To-Video (EN)
	Movie application RoadSight How-To-Video (ITA)
	Product movie ROADsight rear 10 (EN)
	Product movie ROADsight rear 10 (DE)

## Product datasheet

### Legal advice

Please note: Individual special requirements and legislation of the countries must be observed, especially concerning the duration of the records/use and the transfer of data. Please make yourself familiar with the data protection laws of your country and ensure that you comply with them.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.