

# NIGHT BREAKER H7-LED

OSRAM's first street-legal LED replacement lamp



**OSRAM's first street-legal LED replacement lamp 1)**

Better seen and be seen, for more safety on the road, especially at night




**Up to 220% more brightness<sup>2)</sup>**

Cool White LED-Upgrade with color temperature close to daylight for specific car models



**Up to 5 times more lifetime<sup>3)</sup>**

Environmentally friendly through longer durability and less garage shop visits and reduced energy



## First NIGHT BREAKER LED

With NIGHT BREAKER H7-LED, OSRAM's first street legal LED replacement lamp is now on the market. The plug-and-play solution offers drivers significant advantages: very high cool white color temperature of 6,000 Kelvin with up to 220% more brightness compared to the minimum requirements of ECE R112, up to 5 times longer lifespan compared to halogen lamps and an additional 50% less glare. Only applies to the respective countries in which there is approval and the vehicle models and light functions currently listed in the compatibility list. For exact conditions see [www.osram.com/nb-led](http://www.osram.com/nb-led). OSRAM offers related installation accessories for the LED lamps.

# Product datasheet

## Technical data


### Product information

Product legal advice 1	1) Approved H7-LED headlamp. Only applies to the respective countries in which there is approval and the vehicle models and light functions currently listed in the compatibility list. For exact conditions see <a href="http://www.osram.com/nb-led">www.osram.com/nb-led</a>
Product legal advice 2	2) Compared to minimum ECE R112. On top with 50% less glare.
Product legal advice 3	3) compared to halogen lamps

### Electrical data

Power input	19 W
Nominal wattage	19.00 W
Nominal voltage	12.0 V

### Dimensions & weight



Length	81.3 mm
Diameter	13.8 mm

### Additional product data

Base (standard designation)	PX26d
-----------------------------	-------

### Capabilities

Technology	LED
------------	-----

## Logistical Data





Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
--------------	---------------------	------------------------------	--------------------------------------	--------	--------------

## Product datasheet

4062172155045	NIGHT BREAKER LED	Folding carton box 2	141 mm x 129 mm x 57 mm	1.04 dm <sup>3</sup>	318.00 g
4062172160360	NIGHT BREAKER LED	Shipping carton box 4	150 mm x 125 mm x 142 mm	2.66 dm <sup>3</sup>	368.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	User instruction NIGHT BREAKER LED
	User instruction NIGHT BREAKER LED
	User instruction VW POLO AW6
	360 Degree Image NIGHT BREAKER H7-LED 64210DWNB

#### Legal advice

1) Approved H7-LED headlamp. Only applies to the respective countries in which there is approval and the vehicle models and light functions currently listed in the compatibility list. For exact conditions see [www.osram.com/nb-led](http://www.osram.com/nb-led)

2) compared to minimum ECE R112. On top with 50% less glare.

3) compared to halogen lamps

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM