

# LEDDriving ADAPTER 64210DA01-1

Accessories for LED retrofit lamps



## Making LED upgrades fit right in

The mounting brackets offer an easy installation and compatibility for a variety of cars. Compatibility can be checked on the OSRAM website. Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDDriving ADAPTER and LEDDriving SMART CANBUS (where required) - is permitted.




## Product datasheet

### Technical data

#### Product information

|   |                               |
|---|-------------------------------|
| Order reference                             | 64210DA01-1                   |
| Application (Category and Product specific) | Accessories for LED retrofits |

#### Dimensions & weight



|                |         |
|----------------|---------|
| Diameter       | 22.5 mm |
| Product weight | 2.50 g  |
| Length         | 34.3 mm |

#### Lifespan

|           |         |
|-----------|---------|
| Guarantee | 3 years |
|-----------|---------|

#### Capabilities

|            |                 |
|------------|-----------------|
| Technology | LED accessories |
|------------|-----------------|

#### Country specific categorizations

|                 |             |
|-----------------|-------------|
| Order reference | 64210DA01-1 |
|-----------------|-------------|

#### Environmental information

| Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |  |
|---|--|
| Date of Declaration   | 02-08-2022   |
| Primary Article Identifier  | 4062172206532  |
| Candidate List Substance 1  | lead   |
| CAS No. of substance 1  | 7439-92-1  |
| Safe Use Instruction  | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

## Product datasheet


|                                  |                                      |
|----------------------------------|--------------------------------------|
| Declaration No. in SCIP database | d9220da4-e075-4fd4-98a9-9cebe33869be |
|----------------------------------|--------------------------------------|

### Logistical Data

| Product code  | Product description             | Packaging unit (Pieces/Unit) | Dimensions (length x width x height) | Volume                | Gross weight |
|---------------|---------------------------------|------------------------------|--------------------------------------|-----------------------|--------------|
| 4062172206532 | LEDiving Adapter<br>64210DA01-1 | Folding carton box<br>2      | 100 mm x 80 mm x<br>60 mm            | 0.48 dm <sup>3</sup>  | 28.00 g      |
| 4062172206549 | LEDiving Adapter<br>64210DA01-1 | Shipping carton box<br>20    | 415 mm x 109 mm x<br>134 mm          | 6.06 dm <sup>3</sup>  | 408.00 g     |
| 4062172206556 | LEDiving Adapter<br>64210DA01-1 | Shipping carton box<br>120   | 435 mm x 348 mm x<br>300 mm          | 45.41 dm <sup>3</sup> | 3227.00 g    |

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

| File   |
|--|
|  User instruction<br>LEDiving ADAPTER |

#### Legal advice

Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDiving ADAPTER and LEDiving SMART CANBUS (where required) - is permitted.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM