

# LEDDriving ADAPTER 64210DA07

Accessories for LED retrofit lamps



## Making LED upgrades fit right in

The mounting brackets offer an easy installation and compatibility for a variety of cars. Compatibility can be checked on the OSRAM website. Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDDriving ADAPTER and LEDDriving SMART CANBUS (where required) - is permitted.



# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	Accessories for LED retrofits
---------------------------------------------	-------------------------------

### General Product Information

Global order reference	64210DA07
------------------------	-----------

### Physical Attributes & Dimensions

Diameter	33.9 mm
Product weight	15.00 g
Length	47.6 mm

### Lifetime Data

Guarantee	3 years
-----------	---------

### Capabilities

Technology	LED accessories
------------	-----------------

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	01-07-2024
Primary article identifier	4062172233835
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	f7d37e68-9b9a-4c6c-9003-d811dfabff9

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172233842	LEDriving Adapter 64210DA07		- x - x -	6.06 dm <sup>3</sup>	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Legal advice

## Product datasheet

Only the combination of OSRAM NIGHT BREAKER LED lamps in connection with the official OSRAM accessories - LEDriving ADAPTER and LEDriving SMART CANBUS (where required) - is permitted.

### Application advice

For more detailed application information and graphics please see product datasheet.

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.



# OSRAM