

Данные о продуктовой линейке

ROADSIGHT 2500

ROADsight 2500



1080p resolution

High-definition video at 1080p resolution



Wide-angle 140° field of vision

Offers a wide-angle perspective, capturing more of the road and surroundings in each frame. This enhances your situational awareness and provides comprehensive coverage for a feeling of increased safety and security while driving

Advanced Dashcam with a clear view of every detail

The OSRAM ROADsight 2500 Dash Camera 1080p stands out due to its combination of advanced features and user-friendly design. The compact 2" screen ensures ease of use without taking up much space, while the adjustable suction cup mount provides flexibility in fitting, allowing you to position the device exactly where you need it. With a screen resolution of 1920 x 1080p and a frame rate of 30FPS, you can expect clear and smooth video quality. The 140° field of view captures a broad area, ensuring you don't miss any important details.



Operating efficiently within a voltage range of 8-30V, this device is compatible with various vehicles. The G Sensor automatically detects collisions and saves files to prevent data loss during unexpected events. Parking mode records video for up to 30 seconds when parked.

The HDR function enhances image quality under high contrast conditions, ensuring clear footage in varying lighting. The built-in microphone and speaker enable audio recording and playback, adding another layer of detail to your recordings.

It supports up to 128GB capacity with its Micro SD card slot, providing ample storage for your recordings. The USB-C power cable ensures a reliable power connection with a modern interface.

Designed for easy setup without the need for complex

Данные о продуктовой линейке

wiring, the sleek design includes a screen for ease of use, making it both functional and aesthetically pleasing. High-resolution recording ensures that every detail is captured clearly, and the collision protection feature offers peace of mind by automatically saving files in the event of a collision.

Данные о продуктовой линейке

Technical data

Описание продукта	Нормативная и природоохранная информация Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)		
	Список компонентов вещество 1	Инструкция по безопасному использованию	Номер декларации в базе данных SCIP
ROADSIGHT 2500 CAM	Lead	Идентификация вещества из списка компонентов достаточна для безопасного использования изделия.	В работе

Данные о продуктовой линейке

Загрузка данных

Файл	
	User instruction ROADSight 2500 Dash Camera HD 1080p
	User instruction GPRS_Инструкции по символам безопасности

Соответствие стандартам

For precise conditions please refer to: www.osram.com/am-guarantee Please note: The use of dashcams may be subject to specific legal regulations, particularly with regard to data protection and personal rights. As regulations across Europe are not harmonized, there are varying rules regarding the admissibility of video recordings. Before using the device for the first time, whether domestically or abroad, we recommend familiarizing yourself with the applicable legal requirements in the respective country.

Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.