

NIGHT BREAKER H7-LED PRO

First street legal H7-LED in low beam application in Germany



First street legal H7-LED in low beam application in Germany¹⁾

Better seen and be seen, for more safety on the road, especially at night



Up to 220% more brightness ²⁾

Cool White LED-Upgrade with color temperature close to daylight for specific car models



Up to 5 times more lifetime ³⁾

Environmentally friendly through longer durability and less garage shop visits and reduced energy

First NIGHT BREAKER LED

With NIGHT BREAKER H7-LED, OSRAM's first street legal¹⁾ LED replacement lamp is now on the market. The plug-and-play solution offers drivers significant advantages: very high cool white color temperature of 6,000 Kelvin with up to 220% more brightness compared to the minimum requirements of ECE R112, up to 5 times longer lifespan compared to halogen lamps and an additional 50% less glare. OSRAM offers related installation accessories for the LED lamps."



Product datasheet

Technical data

Product information

Product legal advice 1	1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led
Product legal advice 2	2) Compared to minimum ECE R112. On top with 50% less glare.
Product legal advice 3	3) Compared to halogen lamps
Application (Category and Product specific)	Low beam

General Product Information

Global order reference	64210DWNB-FB
------------------------	--------------

Electrical Data

Power input	19 W
Test voltage	13.2 V
Power input tolerance	±10 %
Nominal wattage	19 W
Nominal voltage	12.0 V

Photometric Data

Color temperature	6000 K
Nominal luminous flux	1500 lm
Luminous flux tolerance	±10 %
Light color LED	Cool white

Physical Attributes & Dimensions

Product weight	55.00 g
Length	81.3 mm
Lamp base	PX26d
Diameter	13.8 mm

Lifetime Data

Lifespan Tc	2500 hr
Lifespan B3	1500 hr

Capabilities

Product datasheet

Technology	LED
------------	-----

Certificates & standards

Standards	ABG
-----------	-----

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	05-08-2024
Primary article identifier	4062172254830 4062172254854 4062172254953 4062172254779 4062172254878 4062172254816 4062172254915 4062172254939 4062172254793 4062172254892
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	bd309a39-501d-479d-af35-b80ebe36069f

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172254779	NIGHT BREAKER H7 LED PRO		- x - x -	1.08 dm ³	
4062172254786	NIGHT BREAKER H7 LED PRO	Shipping carton box 4	- x - x -	2.85 dm ³	

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Legal advice

Approved H7-LED low beam for Germany. Valid only for the vehicle models required in the ABG. §22a StVZO is paper printout as well as carrying a general type approval (ABG).

Use only in right-hand traffic. Driving in left-hand traffic (e.g. England) requires upgrading to halogen lamps. Compared to minimum ECE R112. On top with 50% less glare. compared to halogen lamps

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

