Product datasheet

OSRAM

ORIGINAL - S8 WEDGE BASE PY27/7W

Original spare part



The cost-effective original spare parts

ORIGINAL signal lamps with plastic bases offer reliable OEM quality. The original spare parts are available for different applications.

Product datasheet

Technical data

Product information

Order reference	3757AK		
Application (Category and Product specific)	Auxiliary lamp		

Electrical data

Nominal voltage	12.0 V
Nominal wattage	27/7 W
Test voltage	13.5 V

Dimensions & weight



Diameter	26.5 mm
Product weight	7.26 g
Length	53.3 mm

Lifespan

Lifespan B3	460 h
Lifespan Tc	1100 h

Capabilities

Technology	AUX 1)
------------	--------

¹⁾ Auxiliary signal lamp

Certificates & standards

ECE category	PY27/7W

Country specific categorizations

Order reference	3757AK
-----------------	--------

Product datasheet

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration	06-03-2024			
Primary Article Identifier	4006584394364 4052899178731 4055462300522 4059089510340 4059089510548			
Candidate List Substance 1	No declarable substances contained			
Declaration No. in SCIP database	In work			

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899178731	S8 WEDGE BASE PY27/7W	Unpacked 1	25 mm x 25 mm x 53 mm	0.03 dm ³	8.00 g
4052899178748	S8 WEDGE BASE PY27/7W	Folding carton box 10	58 mm x 54 mm x 139 mm	0.44 dm ³	97.00 g
4052899178755	S8 WEDGE BASE PY27/7W	Shipping carton box 50	273 mm x 145 mm x 65 mm	2.57 dm ³	535.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.













