

## AirZing UV-Compact 1

OSRAM AirZing UV-Compact | Specialty lamps



Product datasheet

Technical data

Product information

Air Flow Rate	14 m³/ h
Filter Type	No filter

Electrical data

Power Source	USB-C
--------------	-------

Dimensions & weight

Diameter	66.0 mm
Product weight	600.00 g

Colors & materials

Product color	Grey
---------------	------

Additional product data

Noise Level (dB)	ZLOV1FD02120-000001
------------------	---------------------

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	07-03-2024
Primary Article Identifier	4062172192781
Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	abcbde9f-366c-4537-966b-70231c101969

Product datasheet



AirZing UV-Compact

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172192781	AirZing UV-Compact 1	Folding carton box 1	134 mm x 114 mm x 292 mm	4.46 dm <sup>3</sup>	565.00 g
4062172192798	AirZing UV-Compact 1	Shipping carton box 4	292 mm x 252 mm x 326 mm	23.99 dm <sup>3</sup>	3910.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.