# OSRAM LEDguardian ROAD FLARE Signal V16

LEDguardian warning- and safety lights



V16-Certified LED warning light



360° rotating warning light Improved visibility and therefore increased safety for you and others on the road



1 x 9V Battery included **Operational readiness** 



Magnetic mounting Due to the magnetic function the LED warning light can be conveniently attached to the car



Light is safety. See better and be seen better with OSRAM.

Be prepared - with OSRAM LEDguardian warning and safety lights. The OSRAM LEDguardian ROAD FLARE Signal V16 is an LED warning light approved according to V16 regulations. The yellow-orange warning light function of the OSRAM LEDguardian ROAD FLARE Signal V16 rotates through 360 degrees and is visible from a long distance. In an emergency, it can provide crucial information about a dangerous situation in road traffic. In contrast to the warning triangle, it draws the attention of other road users to an unusual situation in traffic by actively flashing, distinguished from the simple reflection of a warning triangle.With 12 long-life high-power LEDs with up to 140lm and 2000K, you can draw attention to yourself by day and night and, as a preventive measure, also make other road users aware of a dangerous situation such as a breakdown vehicle in traffic. The compact design allows you to store the warning light within easy reach in the car and, if necessary, the magnetic function allows it to be quickly and easily attached directly to the vehicle roof. A further advantage is that the OSRAM LEDguardian ROAD FLARE Signal V16 can be used immediately thanks to the battery included in the scope of supply. The LEDguardian ROAD FLARE Signal V16 has been tested and validated in our DIN EN ISO/IEC 17025 certified environmental simulation laboratory for extreme external influences in terms of water, dust, heat, cold and impacts from falls. With the IP protection class IP54, the OSRAM LEDguardian ROAD FLARE Signal V16 is insensitive to water, dust and shocks. OSRAM offers a 2-year warranty\* on this product.

## Product family datasheet

#### Technical data

\_

	Product info	Product information			Electrical data			Photometrical data		
Product description	Order reference	Application (Category and Product specific)		Nominal wattage	Nominal voltage		Color temper- ature	Light color LED		
LEDguardian	LEDSL102	Warning and safety lights		600 W	90 V		2000 K	Orange		
	Dimensions	& weight				Colo	ors & materia	ls	Lifespan	
Product description	Height	Width	Length	Product weight		Base	Base color		Guarantee	
LEDguardian	570 mm	830 mm	830 mm	110	000 g	Orai	nge		2 years	
	Additional p	Additional product data					Environment information Information according Ar EU Regulatio 1907/2006	t. 33 o on (EC)		
Product description	Scope of bat	Scope of battery Type of Batte			Technology		Date of Declaration			
LEDguardian	Yes		Alkaline		LED		08-03-2024			

Product description	Primary Article	Candidate List	Declaration No. in		
	Identifier	Substance 1	SCIP database		
LEDguardian	4062172184359	No declarable substances contained	No declarable substances contained		

### Product family datasheet

#### Download Data

	File
D	Movie application OSRAM LEDguardian ROAD FLARE SIGNAL V16 (EN)
	360 Degree Image LEDguardian Road Flare Signal V16

#### Legal advice

\*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.