

---

## OT PROGRAMMER/5

OT Programmer for 2DIM UNV P7 | Accessories



---

### Product family benefits

- Easy programming of OPTOTRONIC 2DIM UNV P7 via DIM interface
- USB connection to programming PC (OT 2DIM UNV P7 programming software required)

---

### Areas of application

- For programming of OPTOTRONIC 2DIM UNV P7 LED drivers

Technical data

Electrical data

Nominal voltage	5.00 V
Mains frequency	0 Hz

Dimensions & weight



Product weight	240.00 g
Length	120.0 mm
Width	76.0 mm
Height	28.0 mm

Colors & materials

Product color	Black
---------------	-------

Temperatures & operating conditions

Ambient temperature range	0...+50 °C
---------------------------	------------

Certificates & standards

Type of protection	IP20
--------------------	------

Logistical data

Commodity code	85437090990
----------------	-------------


Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (RECh)	
Date of Declaration	21-04-2023
Primary Article Identifier	4062172171632

Product datasheet

Candidate List Substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration No. in SCIP database	ad31c55e-3ac2-4013-8221-661ed00c899e

Download Data

File	
	Declarations of conformity OT PROGRAMMER X CE 4257880 050923

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172171632	OT PROGRAMMER/5	Shipping carton box 20	475 mm x 260 mm x 110 mm	13.59 dm³	6700.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.