


Tunable White 3pin Flexible LED strips Connector

Accessories for Flexible LED strips



Product family features

- Quick and easy installation
- Compatible with Linearlight Flex
- Compatible with TEC Flex

Product family benefits

- Simple installation, no tools or soldering required (CONNECTsystem)
- Reduced installation time (CONNECTsystem)
- Can be connected to the front of the module or at division points (CONNECTsystem)
- Low profile (CONNECTsystem)


Product family datasheet

Technical data


Product description	Dimensions & weight				Logistical data
	Height	Width	Length	Product weight	Commodity code
FX -SC08-G2-CT4PJ	5.9 mm	9.2 mm	9.0 mm	0.80 g	853669909900
CONN-FLEX -3P-050 KIT 10PCS	4.0 mm	10.4 mm	519.3 mm	13.82 g	853669909900
CONN-FLEX -3P-200 KIT 10PCS	4.0 mm	10.4 mm	2019 mm	52.36 g	853669909900
CORNER-FLEX -4P-003 KIT 10PCS	4.0 mm	10.4 mm	68.6 mm	2.97 g	853669909900
CORNER-FLEX -4P-015 KIT 10PCS	4.0 mm	10.4 mm	188.6 mm	7.08 g	853669909900

Product description	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
FX -SC08-G2-CT4PJ	01-03-2022	4052899464858	No declarable substances contained	No declarable substances contained
CONN-FLEX -3P-050 KIT 10PCS	22-04-2022	4062172179690	No declarable substances contained	No declarable substances contained
CONN-FLEX -3P-200 KIT 10PCS	25-04-2022	4062172179720	No declarable substances contained	No declarable substances contained
CORNER-FLEX -4P-003 KIT 10PCS	25-04-2022	4062172179638	No declarable substances contained	No declarable substances contained
CORNER-FLEX -4P-015 KIT 10PCS	25-04-2022	4062172179676	No declarable substances contained	No declarable substances contained


Product family datasheet




729184_ACC LECV LF B2B Conn. 12,7 5 3 G2




729196_ACC LECV LF B2B Conn. 12,7 5 3 G2




729327_FX-SC08-G2_CT4PJ 50XFS25



CONN-FLEX-3P




CONN-FLEX-3P-200



CORNER-FLEX-4P-003

Product family datasheet



CORNER-FLEX-4P-015




Application advice

For more detailed application information and graphics please see product datasheet.

Sales and Technical Support

Sales and Technical Support www.osram.com

Download Data

File	
	User instruction Connection System for LINEARlight Flex & TEC Flex IP00
	Product Datasheet 726951_SLIMCONNECT SYSTEM 08 G2
	Brochures Light is freedom of design (EN)

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899464858	FX -SC08-G2-CT4PJ	Shipping carton box 1250	510 mm x 340 mm x 315 mm	54.62 dm ³	3914.00 g
4062172179690	CONN-FLEX -3P-050 KIT 10PCS	Shipping carton box 10	337 mm x 270 mm x 400 mm	36.40 dm ³	2093.00 g

Product family datasheet

Logistical Data

4062172179720	CONN-FLEX -3P-200 KIT 10PCS	Shipping carton box 10	337 mm x 270 mm x 400 mm	36.40 dm ³	2479.00 g
4062172179638	CORNER-FLEX -4P-003 KIT 10PCS	Shipping carton box 10	337 mm x 270 mm x 400 mm	36.40 dm ³	1985.00 g
4062172179676	CORNER-FLEX -4P-015 KIT 10PCS	Shipping carton box 10	337 mm x 270 mm x 400 mm	36.40 dm ³	2026.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.