


## LF -4PIN FLEX

RGB 4pin Flexible LED strips Connector | Accessories for Flexible LED strips



### Product family features

- Quick and easy installation
- Compatible with Linearlight Flex
- Compatible with TEC Flex


### Product family benefits

- Simple installation, no tools or soldering required (CONNECTsystem)
- Reduced installation time (CONNECTsystem)
- Can be connected to the front of the module or at division points (CONNECTsystem)
- Low profile (CONNECTsystem)

## Product datasheet

### Technical data

#### Dimensions & weight



Product weight	6.50 g
Length	13.2 mm
Width	13.2 mm
Height	5.3 mm




#### Logistical data

Commodity code	854442909000
----------------	--------------

#### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	01-03-2022
Primary Article Identifier	4008321514585
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	No declarable substances contained

### Download Data

File
 Product Datasheet 335862_CONNECTsystem for LINEARlight Colormix Flex 8 mm LF4x-Flex (EN)
 Brochures Light is freedom of design (EN)
 Brochures CONNECTION System for LINEARlight FLEX and TEC Flex IP00 - Quick installation guide

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321514585	LF -4PIN FLEX	Shipping carton box 100	102 mm x 62 mm x 166 mm	1.05 dm <sup>3</sup>	407.33 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.