
RGB 4pin LINEARlight Flex IP67 Connector

Accessories for Flexible LED strips

Product family features

- Quick and easy installation
- Compatible with Linearlight Flex
- Compatible with TEC Flex



Product family benefits

- Simple installation, no tools or soldering required (CONNECTsystem)
- Reduced installation time (CONNECTsystem)
- Can be connected to the front of the module or at division points (CONNECTsystem)
- Low profile (CONNECTsystem)

Product family datasheet

Technical data


Product description	Dimensions & weight				Logistical data
	Height	Width	Length	Product weight	Commodity code
LF-CLIP -FIXTURE PROTECT	5.7 mm	6.0 mm	27.0 mm	0.31 g	392690979000
LF -4CONN Protect	13.4 mm	19.8 mm	30.0 mm	20.00 g	854442909000
LF -ENDCAP Protect	8.0 mm	10.0 mm	13.7 mm	0.50 g	392690979000
LF -4PIN Protect	13.4 mm	19.8 mm	30.0 mm	20.00 g	854442909000
LF -2CONN Protect	13.4 mm	19.8 mm	30.0 mm	16.00 g	854442909000

Product description	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)			
	Date of Declaration	Primary Article Identifier	Candidate List Substance 1	Declaration No. in SCIP database
LF-CLIP -FIXTURE PROTECT	01-03-2022	4008321644749	No declarable substances contained	No declarable substances contained
LF -4CONN Protect	13-02-2022	4008321977090 4062172016452		In work
LF -ENDCAP Protect	13-02-2022	4008321977106 4062172016438		In work
LF -4PIN Protect	13-02-2022	4008321977076 4062172016490		In work
LF -2CONN Protect	13-02-2022	4008321977083 4062172016476		In work

Product family datasheet




327683_LF-CLIP FIXTURE PROTECT



324203_LF-4CONN PROT


LF-4CONN PROT




324488_LF-4PIN PROT



329588_LF-ENDCAP PROT




327681_LF-4PIN-PROT



324252_LF-2CONN PROT

Product family datasheet



327679_LF-2CONN-PROT

Application advice

For more detailed application information and graphics please see product datasheet.



Sales and Technical Support

Sales and Technical Support www.osram.com

Country specific information

Product description	Product code	METEL-Code	SEG-No.	STK number	UK Org
LF-CLIP -FIXTURE PROTECT	4008321644749	-	-	4030028	-
LF-CLIP -FIXTURE PROTECT	4008321644749	-	-	4030028	-
LF-CLIP -FIXTURE PROTECT	4008321644763	-	-	4030028	-

Download Data

File
 Brochures Light is freedom of design (EN)
 Brochures CONNECTION System for LINEARlight FLEX and TEC Flex IP00 - Quick installation guide

Product family datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321644749	LF-CLIP -FIXTURE PROTECT	Shipping carton box 500	89 mm x 18 mm x 73 mm	0.12 dm ³	22.00 g
4062172016452	LF -4CONN Protect	Shipping carton box 10	230 mm x 150 mm x 340 mm	11.73 dm ³	625.00 g
4062172016438	LF -ENDCAP Protect	Shipping carton box 10	338 mm x 140 mm x 141 mm	6.67 dm ³	260.00 g
4062172016490	LF -4PIN Protect	Shipping carton box 10	570 mm x 150 mm x 340 mm	29.07 dm ³	1097.00 g
4062172016476	LF -2CONN Protect	Shipping carton box 10	230 mm x 150 mm x 340 mm	11.73 dm ³	585.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.