

## LF -2CONN Protect

RGB 4pin LINEARlight Flex IP67 Connector | Accessories for Flexible LED strips

### Product family features

- Quick and easy installation
- Compatible with Linearlight Flex
- Compatible with TEC Flex




### Product family benefits

- Simple installation, no tools or soldering required (CONNECTsystem)
- Reduced installation time (CONNECTsystem)
- Can be connected to the front of the module or at division points (CONNECTsystem)
- Low profile (CONNECTsystem)

## Product datasheet

### Technical data

#### Dimensions & weight



Product weight	16.00 g
Length	30.0 mm
Width	19.8 mm
Height	13.4 mm

#### Additional product data

Successor EAN	4062172016476
Predecessor EAN	4008321977083


#### Logistical data

Commodity code	854442909000
----------------	--------------

#### Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	13-02-2022
Primary Article Identifier	4008321977083   4062172016476
Declaration No. in SCIP database	In work

### Download Data

File
 Brochures Light is freedom of design (EN)

## Product datasheet

---

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172016476	LF -2CONN Protect	Shipping carton box 10	230 mm x 150 mm x 340 mm	11.73 dm <sup>3</sup>	585.00 g

---

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

---

### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.