

TEC Flex Protect IP66 Connector

Accessories for Flexible LED strips

Product family features

- Quick and easy installation
- Compatible with Linearlight Flex
- Compatible with TEC Flex



Product family benefits

- Simple installation, no tools or soldering required (CONNECTsystem)
- Reduced installation time (CONNECTsystem)
- Can be connected to the front of the module or at division points (CONNECTsystem)
- Low profile (CONNECTsystem)

Product family datasheet


Technical data

Product description	Dimensions & weight				Additional product data
	Height	Width	Length	Product weight	Predecessor EAN
FX -SC08-G2-C2PF-IP54-0500	8.2 mm	15.7 mm	510.0 mm	8.30 g	4052899533516
FX -SC08-G2--BTJ-IP54	8.2 mm	15.7 mm	30.0 mm	4.00 g	4052899464919
FX -SC08-G2-CT4PJ	5.9 mm	9.2 mm	9.0 mm	0.80 g	


Product description	Successor EAN	Logistical data	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
		Commodity code	Date of Declaration	Primary Article Identifier
FX -SC08-G2-C2PF-IP54-0500		854442909000	12-02-2022	4052899464889 4052899488236
FX -SC08-G2--BTJ-IP54	4052899568853	854442909000	12-02-2022	4052899464919 4052899568853
FX -SC08-G2-CT4PJ		853669909900	01-03-2022	4052899464858

Product description	Candidate List Substance 1	Declaration No. in SCIP database
FX -SC08-G2-C2PF-IP54-0500	No declarable substances contained	In work
FX -SC08-G2--BTJ-IP54	No declarable substances contained	In work
FX -SC08-G2-CT4PJ	No declarable substances contained	No declarable substances contained


Product family datasheet




343564_SLIMCONNECTsystem FLEX, LF-2PIN Flex IP SC




343569_SLIMCONNECTsystem FLEX, LF-4PIN Flex SC




343555_SLIMCONNECTsystem FLEX, LF-CONN Flex IP SC



343578_SLIMCONNECTsystem FLEX, LF-CONN Flex IP SC




729184_ACC LECV LF B2B Conn. 12,7 5 3 G2



729196_ACC LECV LF B2B Conn. 12,7 5 3 G2

Product family datasheet



729327_FX-SC08-G2_CT4PJ 50XFS25




Application advice

For more detailed application information and graphics please see product datasheet.

Sales and Technical Support

Sales and Technical Support www.osram.com

Download Data

File	
	Brochures Light is freedom of design (EN)
	User instruction Connection System for LINEARlight Flex & TEC Flex IP00
	Product Datasheet 726951_SLIMCONNECT SYSTEM 08 G2

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4052899464889	FX -SC08-G2-C2PF-IP54-0500	Shipping carton box 280	510 mm x 340 mm x 315 mm	54.62 dm ³	5897.00 g
4052899568853	FX -SC08-G2--BTJ-IP54	Shipping carton box 250	258 mm x 168 mm x 84 mm	3.64 dm ³	1132.00 g

Product family datasheet

Logistical Data

4052899464858	FX -SC08-G2-CT4PJ	Shipping carton box 1250	510 mm x 340 mm x 315 mm	54.62 dm ³	3914.00 g
---------------	-------------------	-----------------------------	--------------------------	-----------------------	-----------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.