

# DALI COUPLER MULTI3 G2

# DALI COUPLER MULTI3 G2 | Sensors



#### Product family features

- Coupler for integration of light and presence information in DALI installations
- Very low DALI Power consumption

### Product family benefits

- DALI-2 certified
- Multiple couplers connectable to the same DALI line
- Integreatable in light- and building management systems supporting DALI-2 sensors

#### Areas of application

- Connection of light and presence sensors in DALI systems
- Ceiling or independent installation via ECO CI KIT possible
- Luminaire and ceiling integration


### Product datasheet

#### Technical data

#### **Electrical data**

Required DALI current (typical)	6 mA
Peak DALI current	16 mA
Maximum start-up time (DALI)	600 ms

### **Dimensions & weight**







Length	118.0 mm
Width	30.0 mm
Height	21.0 mm
Product weight	35.00 g

### Colors & materials

Product color	Light grev
	g.,, g. c,

## Temperatures & operating conditions

Ambient temperature range	-20+50 °C
---------------------------	-----------

# **Capabilities**

Type of installation	Luminaire integration	
Control interface	DALI	

## Certificates & standards

Type of protection	IP20
Type of protection	IFZU

### Logistical data

Commodity code	85371098990
----------------	-------------

### Product datasheet

#### **Environmental information**

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)		
Date of Declaration	04-10-2023	
Primary Article Identifier	4062172072113	
Candidate List Substance 1	Lead titanium zirconium oxide	
CAS No. of substance 1	12626-81-2	
Candidate List Substance 2	Lead	
CAS No. of substance 2	7439-92-1	
Safe Use Instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.	
Declaration No. in SCIP database	f1457d0e-ea22-4d94-83dc-23549eb03510	

#### **Equipment / Accessories**

- Multi-3 CI Sensor Light and presence Sensor with PIR detection technology
- Separate installation possible with ECO CI KIT

#### **Download Data**

	File
<b>大</b>	User instruction DALI2 COUPLER MULTI3
乙	Declarations of conformity DALI G2 Sensor Coupler CE 4202657 03 060823

#### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172072113	DALI COUPLER MULTI3 G2	Shipping carton box 25	200 mm x 140 mm x 147 mm	4.12 dm³	1445.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

# Accessories Optional

Product description	Accessory name	Accessory code
DALI COUPLER MULTI3 G2	LS/PD MULTI3 CI	<b>4</b> 008321916648

# Product datasheet

DALI COUPLER MULTI3 G2	ECO CI KIT	<b>4</b> 008321392091

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.