

LS/PD MULTI3 CI

LS/PD MULTI 3 CI | Sensors for light management systems



Product family features

- Ceiling installation sensor with moveable sensor head
- Connection via four-pole screw terminal or modular 4c4p-connector

Product family benefits

- Particularly small construction


Areas of application

- Offices
- Corridors
- Classrooms
- Training rooms
- Stairways
- Sanitary areas

Product datasheet

Technical data

Dimensions & weight



Width	50.0 mm
Product weight	30.00 g
Diameter	50.0 mm

Logistical data

Commodity code	85365019900
----------------	-------------



Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of Declaration	29-06-2022
Primary Article Identifier	4008321916648
Declaration No. in SCIP database	In work

Equipment / Accessories

- Surface mounting in connection with SENSOR KIT
- Suitable for MULTleco, DIM MULTleco, DALI MULTleco control unit
- Suitable for DALI Professional Sensor Coupler

Download Data

File	
	Declarations of conformity 334067_LMS MULTI3 SENSORS
	Installation/Operation notice 334180_LSPD MULTI 3 CI light and presence sensor for ceiling installation

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321916648	LS/PD MULTI3 CI	Shipping carton box 10	190 mm x 164 mm x 184 mm	5.73 dm ³	565.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.