

# LEDDriving HLT H4



### Cool White color temperature of 6,000 K

Better visibility thanks to daylight effect



### Superior brightness

More light allows to see farther and therefore react sooner. Signs, obstacles and hazards can be recognized sooner



### LED replacement for conventional H4 high and low beam lamps

Reduced glaring thanks to an optimized light distribution



Simply replace old truck lamps with OSRAM's LED replacement lamps for forward lighting to benefit from highly energy-efficient bright LED light. LEDDriving HLT for high and low beam applications are 24 V compatible and stand out with very high brightness, high compatibility, easy installation and no radio disturbance.

## Product family datasheet

### Technical data

Product description	Product information			Electrical data		
	Application (Category and Product specific)	Order reference	Product type (off-road vs. on-road)	Power input	Nominal voltage	Nominal wattage
LEDriving HLT $\cong$ H4	Mainly used for headlight/ fog light applications	64196DWS	Off-road $\cong$ H4	18 W	24.0 V	13/13 W


Product description	Photometrical data		Dimensions & weight		Lifespan
	Power input tolerance	Test voltage	Luminous flux	Luminous flux tolerance	Lifespan B3
LEDriving HLT $\cong$ H4	$\pm 20$ %	28.0 V	1400/1100 lm	$\pm 20$ %	750 h

Product description	Lifespan Tc	Additional product data	Capabilities
		Base (standard designation)	Technology
LEDriving HLT $\cong$ H4	2000 h	P43t	LED

## Product family datasheet

---

### Download Data

File	
	User instruction LEDriving HLT

#### Legal advice

These products do not have ECE approval and must not be used on public roads in any exterior application. Public roads use leads to cancellation of operating license and loss of insurance coverage. Several countries forbid sale and use of these products. Please contact your local distributor for further information.

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.