


LEDiving ADAPTER (OFFROAD) 64210DA06

Accessories for LED retrofit lamps



Making LED upgrades fit right in

The mounting brackets offer an easy installation and compatibility for a variety of cars. Guarantees a perfect fit due to optimal fastening of the H7 lamp.



Product datasheet

Technical data


Product information

Application (Category and Product specific)	Accessories for LED retrofits
---	-------------------------------

General Product Information

Global order reference	64210DA06
------------------------	-----------

Physical Attributes & Dimensions



Diameter	35.1 mm
Product weight	3.00 g

Lifetime Data

Guarantee	3 years
-----------	---------

Capabilities

Technology	LED accessories
------------	-----------------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172183932
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	66c24bfe-e684-4cf2-9381-c61c70ff6061


Logistical Data

Product datasheet

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172183932	LEDriving Adapter 64210DA06	Folding carton box 2	95 mm x 57 mm x 135 mm	0.73 dm ³	30.00 g
4062172183949	LEDriving Adapter 64210DA06	Shipping carton box 20	415 mm x 109 mm x 134 mm	6.06 dm ³	428.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction LEDriving ADAPTER

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM