

# LEDinspect POCKET PRO400

Inspectionlights



## Multi-Angle Flex & Twist

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



## 400 Lumen

Up to 400 lumens and integrated switch for dimming the light



## 2 in 1 Function

Inspection light & torch light combined in one



## 2-year-OSRAM guarantee\*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.

## Product family datasheet



### Light is versatile

This high-quality inspection light from OSRAM is designed to illuminate hard-to-reach areas. The POCKET PRO 400 combines a slim design with multi-axis rotation and tilting so that the light can be directed exactly where it is needed. Additionally, the flexible mounting options offer hands-free working. The pocket size with only 6mm depth and the low weight make this inspection light ideal for the workshop. This LED inspection light emits up to 400 lumens. It has a white light with up to 6000K for comfortable working conditions and is therefore designed for wide illumination as well as for the illumination of narrow spaces. The light intensity can be easily adjusted via the on/off switch. In addition, the POCKET PRO 400 has a powerful torch for a concentrated beam of light. It is rechargeable and cordless, with Li-ion battery for constant light output. The lamp has an operating time of up to 3h and a recharging time of approx. 4h. Charging cable and mains plug included. In addition, OSRAM provides a 2-year guarantee on this product\*

Product family datasheet

Technical data

|                     | Product information |   | Electrical data |                 | Photometrical data |               |
|---------------------|---------------------|---|-----------------|-----------------|--------------------|---------------|
| Product description | Order reference     | Application (Category and Product specific) | Nominal voltage | Nominal wattage | Light color LED    | Luminous flux |
| INSPECTION LAMP     | LEDIL409            | LED inspection lights                       | 3.7 V           | 9.62 W          | White              | 400 lm        |

|                     |                   | LED module information    | Dimensions & weight |          |          |                |
|---------------------|-------------------|---------------------------|---------------------|----------|----------|----------------|
| Product description | Color temperature | Number of LEDs per module | Height              | Width    | Length   | Product weight |
| INSPECTION LAMP     | 6000 K            | 2                         | 55.0 mm             | 100.0 mm | 215.0 mm | 206.00 g       |



|                     | Colors & materials | Lifespan  | Additional product data      |                 |
|---------------------|--------------------|-----------|------------------------------|-----------------|
| Product description | Base color         | Guarantee | Number of included batteries | Type of Battery |
| INSPECTION LAMP     | Black / Orange     | 2 years   | 1                            | Rechargeable    |

|                     |                  | Capabilities | Certificates & standards | Environmental information<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |
|---------------------|------------------|--------------|--------------------------|--|
| Product description | Scope of battery | Technology   | IK Class                 | Date of Declaration  |
| INSPECTION LAMP     | Yes              | LED          | IK06                     | 07-03-2024   |

| Product description | Primary Article Identifier | Candidate List Substance 1 | CAS No. of substance 1 | Safe Use Instruction   |
|---------------------|----------------------------|----------------------------|------------------------|--|
| INSPECTION LAMP     | 4052899622906              | Lead                       | 7439-92-1              | The identification of the Candidate List substance is sufficient to allow safe use of the article. |

| Product description | Declaration No. in SCIP database     |
|---------------------|--------------------------------------|
| INSPECTION LAMP     | bce4864c-75dc-487e-8eaf-2fa43e657f44 |

Download Data

| File  |   |
|---|---|
|  | User instruction<br>LEDinspect POCKET PRO 400             |
|  | Movie application<br>LEDinspect Inspection Lights Trailer |

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.

\*for precise conditions please refer to:

[www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.