

LEDinspect MINI250

Inspectionlights





Multi-Angle Light Output

High flexibility and diverse adjustment possibilities thanks to multi angle positioning



250 Lumen

3 light functions: Up to 250lm -high Up to 130lm -low Up to 70lm -torchlight



2-year-OSRAM guarantee*

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



Light is versatile

This high-quality inspection light from OSRAM is perfect for professional and private use. With three light functions - high with up to 250lm, low with up to 130lm and torchlight function with up to 70lm, there is a light output to suit the task at hand. The 180° flex base gives further flexibility to be able to adjust the lightbeam where needed. The inspection light is rechargeable, and the integrated charge level indicator shows the current status of the battery with up to 3h operating time at high power or up to 6h at low power. A USB Type-C charging cable is included in the scope of supply. In accordance with IP65 protection rating, this inspection light has protection against dust and water ingress and is tested for impact resistance in accordance with IK07. This LED light is easy to carry, has a non-slip

and dirt-repellent surface, includes an integrated hook & magnets for hands-free work and easy attachment, making it ideal for craft activities, car repairs and in everyday life. In addition, OSRAM provides a 2-year guarantee on this product*

Technical data

	Product information	General Prod	uct	Electrical Dat		
Product description	Application (Category and Product specific)	Global order reference		Nominal volt	age	Nominal wattage
INSPECTION LAMP	LED inspection lights	LEDIL401		3.7 V		7 W
	Photometric Data				Physic Dimen	al Attributes &
Product description	Color temperature	Light color LED	Nomina flux	l luminous	Produc	ct weight
INSPECTION LAMP	5700 K	White	250 lm	215.00 g		
Product description	Length	Width		Height		LED module information
r routet description	Length	Widui		rieigiit		LEDs per module
INSPECTION LAMP	200.0 mm	56.0 mm		41 mm		2
	Colors & materials	Lifetime Data	Addition	al product data	1	
Product description	Base color	Guarantee	Scope of	battery	Type of	Battery
INSPECTION LAMP	Black / Orange	2 years	Yes	Rechargeable		
		Capabilities	Certific standar			ical data
Product description	Number of included batteries	Technology	IK Class		Watt hour per battery	
INSPECTION LAMP	1	LED	IK07		10.00	
	Environmental & Regu Information according			EC) 1907/200	6 (REACh))
Product description	Candidate list substance 1	CAS No. of su	bstance	Safe use inst	ruction	Declaration no. in SCIP database
INSPECTION LAMP	Lead	7439-92-1		The identification the Candidat substance is sufficient to a safe use of the article.	e List allow	94ddcbeb-ba73- 4700-a565- 7ccc51aa1508

Download Data

	File
Z	User instruction LEDinspect MINI 250
X	User instruction GPRS_Safety symbols instructions
O	Movie application LEDinspect Inspection Lights Trailer

Legal advice

Application advice:

For more detailed application information and graphics please see product datasheet and user instruction.*for precise conditions please refer to:

www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.