

COOL BLUE INTENSE (NEXT GEN)

Extra white light for LED look



LED look

Extra white light for stylish LED look



Up to 5,000 Kelvin 1), 2)

High contrast and brilliantly white light for most stylish and modern look on the road



Up to 100% more brightness 1), 3)

More light allows to see farther and therefore react sooner



The extra white light with up to 5,000 K

Discover COOL BLUE INTENSE - high-tech halogen lamps, almost in the league of LED lamps. With its powerful and bright extra white light up to 5,000 Kelvin, whose cool beam makes it look very like a LED lamp, it gives real design fans their money's worth. The automotive lamp also provides a high-contrast light similar to daylight, which makes it easier on the eyes than the light from standard lamps. In comparison to minimum ECE requirements, the OSRAM COOL BLUE INTENSE range is up to 100% more brightness! The modern design with silver cap (H4/H7/H8/H11/HB4) is ideal for use in clear-glass headlights. That gives your car a stylish look. 1) H1, H4, H7, H11, HB3, HB4, HIR2. 2) Measured in headlamps. 3) Compared to minimum ECE R112 requirements.

Product family datasheet

Technical data

Product description	Electrical data null				Photometrical data null		Dimensions & weight null
	Power input	Nominal voltage	Nominal wattage	Test voltage	Luminous flux	Luminous flux tolerance	Diameter
COOL BLUE INTENSE (NEXT GEN) H1	68 W ¹⁾	12.0 V	55.00 W	13.2 V	1550 lm	±15 %	9 mm
COOL BLUE INTENSE (NEXT GEN) H4	75 / 68 W ¹⁾	12.0 V	60/55 W	13.2 V	1650/100 0 lm	±15 % / ±15 %	17.0 mm
COOL BLUE INTENSE (NEXT GEN) H7	58 W ¹⁾	12.0 V	55.00 W	13.2 V	1500 lm	±10 %	12.0 mm
COOL BLUE INTENSE (NEXT GEN) H8	43 W ¹⁾	12.0 V	35.00 W	13.2 V	800 lm	±15 %	12.0 mm
COOL BLUE INTENSE (NEXT GEN) H11	62 W ¹⁾	12.0 V	55.00 W	13.2 V	1350 lm	±10 %	12.0 mm
COOL BLUE INTENSE (NEXT GEN) H15	19 / 64 W ¹⁾	12.0 V	55/15 W	13.2 V	260/1350 lm	±10 / ±10 %	13.0 mm
COOL BLUE INTENSE (NEXT GEN) HB3	73 W ¹⁾	12.0 V	60.00 W	13.2 V	1860 lm	±12 %	12.0 mm
COOL BLUE INTENSE (NEXT GEN) HB4	62 W ¹⁾	12.0 V	51.00 W	13.2 V	1095 lm	±15 %	12.0 mm
COOL BLUE INTENSE (NEXT GEN) HIR2	63 W ¹⁾	12.0 V	55.00 W	13.2 V	1875 lm	±15 %	11.3 mm

Product description	Lifespan null		Certificates & standards null	Country specific categorizat ions null	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
	Lifespan B3	Lifespan Tc	ECE category	Order reference	Date of Declaration	Primary Article Identifier
COOL BLUE INTENSE (NEXT GEN) H1	150 h	250 h	H1	64150CBN	19-01-2022	4006584771509 4058075520356 4058075520332 4062172214964 4062172216449 4062172216425 4062172251662 4062172173681
COOL BLUE INTENSE (NEXT GEN) H4	50 / 200 h ²⁾	100 / 400 h ²⁾	H4	64193CBN	19-01-2022	4006584763849 4062172149334 4062172149297 4062172159302 4062172251686 4055462372505
COOL BLUE INTENSE (NEXT GEN) H7	100 h	200 h	H7	64210CBN	19-01-2022	4006584753017 4062172149358 4062172149310 4062172159326 4062172251709 4055462372529 4062172269209

Product family datasheet

	Lifespan null		Certificates & standards null	Country specific categorizations null	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Product description	Lifespan B3	Lifespan Tc	ECE category	Order reference	Date of Declaration	Primary Article Identifier
COOL BLUE INTENSE (NEXT GEN) H8	250 h	500 h	H8	64212CBN	19-01-2022	4062172214988 4062172215480
COOL BLUE INTENSE (NEXT GEN) H11	100 h	200 h	H11	64211CBN	19-01-2022	4062172213431 4062172214940
COOL BLUE INTENSE (NEXT GEN) H15	1000 / 100 h	2000 / 200 h	H15	64176CBN	14-01-2022	4062172215008 4062172215527 4062172215503
COOL BLUE INTENSE (NEXT GEN) HB3	110 h	220 h	HB3	9005CBN	19-01-2022	4062172215022 4062172215602
COOL BLUE INTENSE (NEXT GEN) HB4	270 h	500 h	HB4	9006CBN	19-01-2022	4062172215046 4062172215626
COOL BLUE INTENSE (NEXT GEN) HIR2	130 h	330 h	HIR2	9012CBN	19-01-2022	4062172215572 4062172215558










Product description	Candidate List Substance 1	Declaration No. in SCIP database
COOL BLUE INTENSE (NEXT GEN) H1	No declarable substances contained	In work
COOL BLUE INTENSE (NEXT GEN) H4	No declarable substances contained	In work
COOL BLUE INTENSE (NEXT GEN) H7	No declarable substances contained	In work
COOL BLUE INTENSE (NEXT GEN) H8		In work
COOL BLUE INTENSE (NEXT GEN) H11		In work
COOL BLUE INTENSE (NEXT GEN) H15		In work
COOL BLUE INTENSE (NEXT GEN) HB3		In work
COOL BLUE INTENSE (NEXT GEN) HB4		In work
COOL BLUE INTENSE (NEXT GEN) HIR2		In work

¹⁾ Maximum

²⁾ Filament 1

Product family datasheet

Download Data

File	
	360 Degree Image COOL BLUE INTENSE H1 64150CBN
	360 Degree Image COOL BLUE INTENSE H4 64193CBN
	360 Degree Image COOL BLUE INTENSE H7 64210CBN
	360 Degree Image COOL BLUE INTENSE H8 64212CBN
	360 Degree Image COOL BLUE INTENSE H11 64211CBN
	360 Degree Image COOL BLUE INTENSE H15 64176CBN
	360 Degree Image ZMP_4062590
	360 Degree Image ZMP_4062590
	360 Degree Image ZMP_4062590

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.