Product datasheet

# **OSRAM** COOL BLUE INTENSE (NEXT GEN) H15

Extra white light for LED look





Extra white light for stylish LED look

#### Up to 5,000 Kelvin 1), 2)

High contrast and brilliantly white light for most stylish and modern look on the road

Up to 100% more brightness 1), 3) More light allows to see farther and therefore react sooner



## The extra white light with up to 5,000 K

Discover COOL BLUE INTENSE - high-tech halogen lamps, almost in the league of LED lamps. With its powerful and bright extra white light up to 5,000 Kelvin, whose cool beam makes it look very like a LED lamp, it gives real design fans their money's worth. The automotive lamp also provides a high-contrast light similar to daylight, which makes it easier on the eyes than the light from standard lamps. In comparison to minimum ECE requirements, the OSRAM COOL BLUE INTENSE range is up to 100% more brightness! The modern design with silver cap (H4/H7/H8/H11/HB4) is ideal for use in clear-glass headlights. That gives your car a stylish look. 1) H1, H4, H7, H11, HB3, HB4, HIR2. 2) Measured in headlamps. 3) Compared to minimum ECE R112 requirements.

# Product datasheet

## Technical data

## **Product information**

Order reference	64176CBN
Application (Category and Product specific)	Halogen headlight lamp

## **Electrical data**

Power input	19 / 64 W <sup>1)</sup>
Nominal voltage	132 V
Nominal wattage	15/55 W
Test voltage	13.2 V

<sup>1)</sup> Maximum

## Photometrical data

Luminous flux	260/1350 lm
Luminous flux tolerance	±10 / ±10 %
Color temperature	up to 3700 K

## Dimensions & weight

Diameter	1300 mm
Product weight	2300 g
Length	790 mm

## Lifespan

Lifespan B3	1000 / 100 h
Lifespan Tc	2000 / 200 h

## Additional product data

Base (standard designation)	PGJ23t-1
-----------------------------	----------

## Capabilities

	Technology	Halogen lamp
--	------------	--------------

## **Certificates & standards**

ECE category	H15
Approval marks – approval	E1 approval

## **Country specific categorizations**

# Product datasheet

## **Environmental information**

## Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)

Date of Declaration	07-03-2024
Primary Article Identifier	4062172215008   4062172215527   4062172215503   4062172387811
Candidate List Substance 1	No declarable substances contained
Declaration No. in SCIP database	In work

## Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172215008	COOL BLUE INTENSE (NEXT GEN) H15	Hard Cover Box 2	114 mm x 48 mm x 106 mm	0.58 dm <sup>3</sup>	138.00 g
4062172215015	COOL BLUE INTENSE (NEXT GEN) H15	Shipping carton box 10	268 mm x 126 mm x 125 mm	4.22 dm <sup>3</sup>	775.00 g
4062172215527	COOL BLUE INTENSE (NEXT GEN) H15	Folding carton box 1	36 mm x 36 mm x 82 mm	0.11 dm³	27.00 g
4062172215534	COOL BLUE INTENSE (NEXT GEN) H15	Bundle 10	180 mm x 72 mm x 82 mm	1.06 dm³	270.00 g
4062172215541	COOL BLUE INTENSE (NEXT GEN) H15	Shipping carton box 100	373 mm x 191 mm x 178 mm	12.68 dm³	2880.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## Download Data

File
360 Degree Image COOL BLUE INTENSE H15 64176CBN

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

