

XENARC COOL BLUE INTENSE (NEXT GEN)

Extra white light for LED look



Extra white light for stylish LED look

Extra white light due to a special filling system used instead of conventional coating



Up to 6,200 Kelvin 1), 2)

High contrast and brilliantly white light for most stylish and modern look on the road



Up to 150% more brightness 1), 3)

More light allows to see farther and therefore react sooner



The extra white light with up to 6,200 K

XENARC COOL BLUE INTENSE – discover that modern look at high power! With its extra white light for LED look, high-contrast xenon light, this automotive lamp appeals especially to drivers who like the perfect combination of stylish and individual design with exceptional road illumination. The high-tech xenon light with color temperatures of up to 6,200 Kelvin comes up with a highly efficient technology, brilliant effect and no-compromise design. Thanks to a special filling system which is used instead of conventional coating the lamp emits its extra white light. This stylish light creates a high-attention effect that helps you to be better seen by other motorists. Discover the exceptionally bright, high-contrast and brilliantly white light with up to 6,200 Kelvin and 150% more brightness! With XENARC COOL BLUE INTENSE, the night turns into day. Please note: XENARC lamp change is recommended to be carried out by a professional. 1) D1S, D2S, D3S, D4S, D8S. 2) Measured in headlamps. 3) Compared to minimum ECE R98 requirements.

Product family datasheet

Technical data

Product description	Product information null		Electrical data null			
	Measurement method	Lamp types	Power input	Nominal voltage	Nominal wattage	Power input tolerance
COOL BLUE INTENSE (NEXT GEN) D1S ¹⁾	2) Measured in headlamps	1) D1S, D2S, D3S, D4S, D8S	35 W	85.0 V	35.00 W	±3 %
COOL BLUE INTENSE (NEXT GEN) D2S ¹⁾	2) Measured in headlamps	1) D1S, D2S, D3S, D4S, D8S	35 W	85.0 V	35.00 W	±3 %
COOL BLUE INTENSE (NEXT GEN) D2R ¹⁾	2) Measured in headlamps	1) D1S, D2S, D3S, D4S, D8S	35 W	85.0 V	35.00 W	±3 %
COOL BLUE INTENSE (NEXT GEN) D3S ¹⁾	2) Measured in headlamps	1) D1S, D2S, D3S, D4S, D8S	35 W	42.0 V	35.00 W	±3 %
COOL BLUE INTENSE (NEXT GEN) D4S ¹⁾	2) Measured in headlamps	1) D1S, D2S, D3S, D4S, D8S	35 W	42.0 V	35.00 W	±3 %
COOL BLUE INTENSE (NEXT GEN) D8S ¹⁾	2) Measured in headlamps	1) D1S, D2S, D3S, D4S, D8S	25 W	42.0 V	25.00 W	±3 %

Product description	Test voltage	Photometrical data null			Dimensions & weight null		Lifespan null
		Luminous flux	Luminous flux tolerance	Color temperature	Length	Diameter	Lifespan B3
COOL BLUE INTENSE (NEXT GEN) D1S ¹⁾	13.5 V	3200 lm	±15 %	up to 6200 K	83.2 mm	9 mm	1500 h
COOL BLUE INTENSE (NEXT GEN) D2S ¹⁾	13.5 V	3200 lm	±15 %	up to 6200 K	77.3 mm	9 mm	1500 h
COOL BLUE INTENSE (NEXT GEN) D2R ¹⁾	13.5 V	2800 lm	±15 %	up to 6200 K	77.3 mm	9 mm	1500 h
COOL BLUE INTENSE (NEXT GEN) D3S ¹⁾	13.5 V	3200 lm	±15 %	up to 6200 K	83.2 mm	9 mm	2000 h
COOL BLUE INTENSE (NEXT GEN) D4S ¹⁾	13.5 V	3200 lm	±15 %	up to 6200 K	77.3 mm	9 mm	2000 h
COOL BLUE INTENSE (NEXT GEN) D8S ¹⁾	13.5 V	2000 lm	±15 %	up to 6200 K	83.2 mm	9 mm	1800 h

Product description	Lifespan Tc	Additional product data null	Capabilities null	Certificates & standards null	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
		Base (standard designation)	Technology	ECE category	Date of Declaration
COOL BLUE INTENSE (NEXT GEN) D1S ¹⁾	3000 h	PK32d-2	HID	D1S ²⁾	14-01-2022
COOL BLUE INTENSE (NEXT GEN) D2S ¹⁾	3000 h	P32d-2	HID	D2S ²⁾	14-01-2022

Product family datasheet

		Additional product data null	Capabilities null	Certificates & standards null	Environmental information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)
Product description	Lifespan Tc	Base (standard designation)	Technology	ECE category	Date of Declaration
COOL BLUE INTENSE (NEXT GEN) D2R ¹⁾	3000 h	P32d-3	HID	D2R ²⁾	19-01-2022
COOL BLUE INTENSE (NEXT GEN) D3S ¹⁾	3000 h	PK32d-5	HID	D3S ²⁾	14-01-2022
COOL BLUE INTENSE (NEXT GEN) D4S ¹⁾	3000 h	P32d-5	HID	D4S ²⁾	14-01-2022
COOL BLUE INTENSE (NEXT GEN) D8S ¹⁾	2500 h	PK32d-1	HID	D8S ²⁾	14-01-2022






Product description	Primary Article Identifier	Declaration No. in SCIP database
COOL BLUE INTENSE (NEXT GEN) D1S ¹⁾	4062172145176 4062172145275 4062172157322 4062172159814 4062172159784	In work
COOL BLUE INTENSE (NEXT GEN) D2S ¹⁾	4062172145190 4062172111362 4062172157353 4062172159753 4062172159722	In work
COOL BLUE INTENSE (NEXT GEN) D2R ¹⁾	4008321401519 4062172216913 4062172216883	In work
COOL BLUE INTENSE (NEXT GEN) D3S ¹⁾	4062172145336 4062172145305 4062172157384 4062172159876 4062172159845	In work
COOL BLUE INTENSE (NEXT GEN) D4S ¹⁾	4052899275423 4062172145220 4062172145350 4062172157414 4062172159937 4062172159906	In work
COOL BLUE INTENSE (NEXT GEN) D8S ¹⁾	4062172148412	In work

¹⁾ Reduced UV emission/For projection headlights/ECE approval and DOT label

²⁾ To be operated only with approved electronic control gear

Product family datasheet

Download Data

File	
	360 Degree Image XENARC COOL BLUE INTENSE D1S 66140CBI 66140CBN
	360 Degree Image XENARC COOL BLUE INTENSE D2S 66240CBI 66240CBN
	360 Degree Image XENARC COOL BLUE INTENSE D2R 66250CBI 66250CBN
	360 Degree Image XENARC COOL BLUE INTENSE D3S 66340CBI 66340CBN
	360 Degree Image XENARC COOL BLUE INTENSE D4S 66440CBI 66440CBN

Safety advice

XENARC lamps should be replaced by a qualified mechanic.

This product must only be operated with approved electronic control gear.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

