

LEDDriving CAP LEDCAP03



LEDDriving CAP are designed to enable the installation of the H7-LED to have an accurate fit and to protect the headlight system. These products are a replacement of the original cap to offer a qualitative system component for the legal usage.

Product datasheet

Technical data


Product information

Application (Category and Product specific)	Accessories for LED retrofits
---	-------------------------------

General Product Information

Global order reference	LEDCAP03
------------------------	----------

Physical Attributes & Dimensions



Diameter	87.0 mm
Product weight	42.00 g

Capabilities

Technology	LED accessories
------------	-----------------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172271394
Candidate list substance 1	No declarable substances contained
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	No declarable substances contained

Logistical Data


Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172271394	LEDriving CAP 03	Folding carton box 2	101 mm x 101 mm x 101 mm	1.03 dm ³	90.00 g

Product datasheet

4062172271400	LEDiving CAP 03	Shipping carton box 8	415 mm x 109 mm x 134 mm	6.06 dm ³	488.00 g
---------------	-----------------	--------------------------	-----------------------------	----------------------	----------

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File	
	User instruction LEDiving CAP

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM