


LEDguardian ROAD FLARE Signal TA20 NXT



360° rotating warning light
For maximum visibility from long distances



Strong magnetic base
For quick and secure mounting on the roof



USB-C rechargeable
Makes it easy to recharge anywhere



Street legal
Fully compliant with §53a paragraph 3 TA20 StVZO and permitted for use across many EU countries¹⁾



When every moment counts: stay visible

The OSRAM LEDguardian ROAD FLARE Signal TA20 NXT sets a new standard in roadside visibility by delivering powerful, 360 degree visibility exactly when it matters most. With 18 high-performance LEDs, it provides intense 360° all-around illumination and makes vehicles clearly visible even from a distance. Its magnetic base allows quick, secure mounting on the roof.

With a battery life of more than 15 hours, USB C charging, and a practical low battery indicator, the TA20 NXT is built for reliability during any emergency. With its IP54 protection class and a 3-year OSRAM guarantee²⁾, the warning light is designed for reliable performance even in demanding weather conditions. Thanks to its compact size, it fits easily into the glove compartment, ensuring it's always within reach when needed.

Fully compliant with §53a StVZO and permitted for use across many EU countries¹⁾, the TA20 NXT gives drivers the confidence of a reliable and long-lasting warning solution. For anyone who values maximum visibility, the TA20 NXT is the essential companion for every journey.

Product family datasheet

Technical data

	Product information	General Product Information	Electrical Data	Photometric Data
Product description	Application (Category and Product specific)	Global order reference	Nominal voltage	Color temperature
LEDguardian TA20 NXT	Warning and safety lights	LEDSL107	3.7 V	2000 K



	Physical Attributes & Dimensions			
Product description	Light color LED	Height	Product weight	Length
LEDguardian TA20 NXT	Orange	59.0 mm	206.00 g	92.0 mm

		Lifetime Data	Additional product data	Capabilities
Product description	Width	Guarantee	Type of Battery	Technology
LEDguardian TA20 NXT	92.0 mm	3 years	Li-Ion	LED

	Certificates & standards	Logistical data	Environmental & Regulatory Information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Product description	IK Class	Watt hour per battery	Primary article identifier	Declaration no. in SCIP database
LEDguardian TA20 NXT	IK07	9.62	4062172427425	In work

Product family datasheet

Download Data

File	
	User instruction LEDguardian Road Flare Signal TA20 LEDSL107
	User instruction GPRS_Safety symbols instructions

Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

Legal advice

1) Use is also permitted in other EU countries, provided that the respective national regulations are complied with 2) For precise conditions refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.