## **OSRAM**

# LEDguardian ROAD FLARE





2 in 1
Can be used as a warning light and as a torch



**360 degree rotation**The 360-degree rotating orange warning light function is visible from a great distance



Magnetic mounting
Thanks to the magnet
function and the hook, the
LED warning light can be
attached in various ways.



3x AAA batteries included
Operational readiness. With
the three AAA batteries
supplied, the warning light is
ready for use immediately
after purchase

#### Product family datasheet



#### Light is safety-See and be seen with OSRAM

Be prepared with OSRAM warning and safety lights. The LEDguardian ROAD FLARE is a compact LED warning light for various situations on the road and for minor inspection work on your vehicle. The 360 degrees rotating, orange, warning light function of the LEDquardian ROAD FLARE is visible from a great distance and can provide crucial information about a dangerous situation in an emergency. A total of 16 highquality long-life LEDs offer three different operating modes: 360 ° rotating orange warning light function, permanent orange light function and a white torch function. In addition, the LEDquardian ROAD FLARE impresses with its non-slip, dirt-repellent surface, a practical hook for attachment and is so robust and resistant that it can even be run over by a car\*\* without losing performance. The LEDguardian ROAD FLARE has been tested and validated in our certified environmental simulation laboratory for extreme external influences in terms of water, dust and impact from falls. According to the IP54 & IK07 protection classes, the LEDquardian ROAD FLARE is resistant to water, dust and impacts. With the three AAA batteries supplied, the warning light is ready for use immediately after purchase. OSRAM provides a 2-year guarantee on this product\* The LEDguardian ROAD FLARE is not approved as a warning light in Germany in the sense of the German Road Traffic Licensing Regulations (StVZO). Please observe any special requirements and laws in countries outside Germany regarding the use and operation of an additional warning light in road traffic.\*For precise conditions please refer to: www.osram.com/am-guarantee \*\*Tested at a mid-range car at walking pace

## Product family datasheet

#### Technical data

	Product information		Electrical data		Photometrical data	
Order reference	Application (Category and Product specific)	Nominal voltage	Nominal wattage	Color temper- ature	Luminous flux	
LEDSL303	Warning and safety lights	45 V	185 W	yellow:18 00- 2000/whi te: 6500 K	75 lm	
	reference	reference and Product specific)  LEDSL303 Warning and safety	reference and Product specific) voltage  LEDSL303 Warning and safety 45 V	reference and Product specific) voltage wattage  LEDSL303 Warning and safety 45 V 185 W	reference and Product specific) voltage wattage temperature  LEDSL303 Warning and safety dights 45 V 185 W yellow:18 00-2000/white: 6500	

		Dimensions & weight				Colors & materials	
Product description	Light color LED	Height	Width	Length	Product weight	Base color	
LEDguardian ROAD FLARE	Flash: orange/amb er / Torch: white	1110 mm	330 mm	1010 mm	17600 g	Black	

	Lifespan	Additional product data		Capabilities
Product description	Guarantee	Scope of battery	Type of Battery	Technology
LEDguardian ROAD FLARE	2 years	Yes	Alkaline	LED

	Certificates & standards	Environmental information Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Product description	IK Class	Date of Declaration	Primary Article Identifier	Declaration No. in SCIP database		
LEDguardian ROAD FLARE	IK07	07-03-2024	4062172295642	In work		

### Product family datasheet

#### Legal advice

\*For precise conditions please refer to: www.osram.com/am-guarantee

\*\*Tested at a mid-range car at walking pace

#### **Application advice**

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.