

LEDiving CAP (OFFROAD)



Product datasheet

Technical data

Product information

Application (Category and Product specific)	Accessories for LED retrofits
---	-------------------------------

General Product Information

Global order reference	LEDCAP10
------------------------	----------

Physical Attributes & Dimensions

Diameter	89.0 mm
Diameter	89.0 mm
Product weight	42.00 g

Capabilities

Technology	LED accessories
------------	-----------------

Environmental & Regulatory Information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172325912
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	No declarable substances contained

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172325912	LEDriving CAP	Folding carton box 2	101 mm x 101 mm x 101 mm	1.03 dm ³	90.00 g
4062172325929	LEDriving CAP	Shipping carton box 8	415 mm x 109 mm x 134 mm	6.06 dm ³	488.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction GPRS_Safety symbols instructions

Product datasheet

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.