

Данные о продуктовой линейке

## BATTERYjumpstart 1250A



BOOST  
FUNCTION

**Starts depleted batteries  
(BOOST to 0V)**

The BOOST function lets users restart many vehicles even from completely discharged batteries



INFLATION TIME  
3.5 MIN.\*\*

**Tyre Inflator**

Inflate tyres quickly. Spark-proof smart clamps with reverse-polarity detection and advanced protection systems



USB  
POWERBANK

**Power Pack**

Charge devices fast using the built-in USB ports



LED LIGHT

**Built-in LED work light for improved visibility during operation**

Ensures clear visibility in low-light or emergency situations, helping users work reliably at any time



**Powerful jump-starting with integrated tyre inflation and enhanced safety features**

The OSRAM BATTERYjumpstart 1250A provides strong, reliable jump-starting for many 12V vehicles with engines up to 6.0L petrol and 2.8L diesel. With 1250A peak current and a BOOST function, it can start fully depleted 0V batteries. Smart clamps with built-in safety features including reverse polarity, anti-spike and short-circuit protection ensure a simple connection, supported by clear audio and visual indicators.

An integrated tyre inflator delivers fast inflation from 0–35 psi (2.4 bar) in around 3.5 minutes, helping drivers manage routine top-ups or emergency low-pressure situations. USB-C and USB-A ports provide convenient charging for many mobile devices on the move. A built-in LED light enhances visibility in dark conditions, and integrated storage keeps accessories organized. The unit comes with a soft storage case for easy transport in the vehicle.






## Данные о продуктовой линейке

### Technical data

	Информация о продукте	Электрические параметры	Нормативная и природоохранная информация <b>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)</b>
Описание продукта	<b>Integrated tyre inflator</b>	<b>Boost-Function (start batteries from 0V)</b>	Номер декларации в базе данных <b>SCIP</b>
BATTERYjumpstart 1250A	0 - 35psi / 2.4bar in 3.5 mins	Да	В работе

## Данные о продуктовой линейке

### Загрузка данных

Файл	
	User instruction GPRS_Инструкции по символам безопасности
	Product movie BATTERYjumpstart 1250A Portrait (EN)
	Product movie BATTERYjumpstart 1250A Landscape (no captions)
	Product movie BATTERYjumpstart 1250A Landscape (EN)
	Product movie BATTERYjumpstart 1250A Portrait (no captions)

#### Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

#### Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.