TEC FLEX Shortpitch Protect

LED modules for semi-professional applications



Product family features

- Flexible and cuttable LED strip
- Luminous flux: up to 2,000 lm/m
- Available with color temperature: 2,700K, 3,000 K, 4,000 K
- Up to 50,000 hrs lifetime @ tc max
- Recommended in system use with OPTOTRONIC
- Color consistency in 3 SDCM

Product family benefits

- High homogeneity thanks to small LED pitch
- Pre-wired LED strip, simple and quick plug-and-play installation
- Easy mounting on many smooth surfaces thanks to self-adhesive tape at the back
- Type of protection: IP66
- Dimmable (with suitable PWM dimming methods)

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Technical data

Electrical data

Product description	Nominal voltage	Type of current	Rated wattage	Input voltage range	Accidental reverse input voltage protection up to
TFP600S-G1 -827-05	24.0 V	DC	27.50 W	23…25 V	25 V
TFP600S-G1 -830-05	24.0 V	DC	27.50 W	23…25 V	25 V
TFP600S-G1 -840-05	24.0 V	DC	27.50 W	23…25 V	25 V
TFP600S-G1 -865-05	24.0 V	DC	27.50 W	23…25 V	25 V
TFP600S-G1 -850-05	24.0 V	DC	27.50 W	23…25 V	25 V
TFP600S-G1 -927-05	24.0 V	DC	29.50 W	23…25 V	25 V
TFP600S-G1 -930-05	24.0 V	DC	29.50 W	23…25 V	25 V
TFP600S-G1 -935-05	24.0 V	DC	29.50 W	23…25 V	25 V
TFP600S-G1 -940-05	24.0 V	DC	29.50 W	23…25 V	25 V
TFP1000S-G1 -827-05	24.0 V	DC	45.00 W	23…25 V	25 V
TFP1000S-G1 -830-05	24.0 V	DC	45.00 W	23…25 V	25 V
TFP1000S-G1 -840-05	24.0 V	DC	45.00 W	23…25 V	25 V
TFP1000S-G1 -865-05	24.0 V	DC	45.00 W	23…25 V	25 V
TFP1000S-G1 -850-05	24.0 V	DC	45.00 W	23…25 V	25 V
TFP1000S-G1 -927-05	24.0 V	DC	49.50 W	23…25 V	25 V
TFP1000S-G1 -930-05	24.0 V	DC	49.50 W	23…25 V	25 V
TFP1000S-G1 -935-05	24.0 V	DC	49.50 W	23…25 V	25 V
TFP1000S-G1 -940-05	24.0 V	DC	49.50 W	23…25 V	25 V
TFP1500S-G1 -827-05	24.0 V	DC	66.00 W	23…25 V	25 V
TFP1500S-G1 -830-05	24.0 V	DC	66.00 W	23…25 V	25 V
TFP1500S-G1 -840-05	24.0 V	DC	66.00 W	23…25 V	25 V
TFP1500S-G1 -865-05	24.0 V	DC	66.00 W	23…25 V	25 V
TFP1500S-G1 -850-05	24.0 V	DC	66.00 W	23…25 V	25 V
TFP1500S-G1 -927-05	24.0 V	DC	72.00 W	23…25 V	25 V
TFP1500S-G1 -930-05	24.0 V	DC	72.00 W	23…25 V	25 V
TFP1500S-G1 -935-05	24.0 V	DC	72.00 W	23…25 V	25 V
TFP1500S-G1 -940-05	24.0 V	DC	72.00 W	23…25 V	25 V
TFP2000S-G1 -827-05	24.0 V	DC	77.50 W	23…25 V	25 V
TFP2000S-G1 -830-05	24.0 V	DC	77.50 W	23…25 V	25 V
TFP2000S-G1 -840-05	24.0 V	DC	77.50 W	23…25 V	25 V
TFP2000S-G1 -865-05	24.0 V	DC	77.50 W	23…25 V	25 V
TFP2000S-G1 -850-05	24.0 V	DC	77.50 W	23…25 V	25 V
TFP2000S-G1 -927-04	24.0 V	DC	69.20 W	23…25 V	25 V
TFP2000S-G1 -930-04	24.0 V	DC	69.20 W	23…25 V	25 V
TFP2000S-G1 -935-04	24.0 V	DC	69.20 W	23…25 V	25 V
TFP2000S-G1 -940-04	24.0 V	DC	69.20 W	23…25 V	25 V

Photometrical data

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Light color LED	Color rendering index Ra	Luminous efficacy	Light color (designation)
TFP600S-G1 -827-05	White	80	109.1 lm/W	White
TFP600S-G1 -830-05	White	80	116.4 lm/W	White
TFP600S-G1 -840-05	White	80	116.4 lm/W	White
TFP600S-G1 -865-05	White	80	118.2 lm/W	White
TFP600S-G1 -850-05	White	80	120 lm/W	White
TFP600S-G1 -927-05	White	90	94.1 lm/W	2700 K
TFP600S-G1 -930-05	White	90	100 lm/W	3000 K
TFP600S-G1 -935-05	White	90	100 lm/W	3500 K
TFP600S-G1 -940-05	White	90	101.7 lm/W	4000 K
TFP1000S-G1 -827-05	White	80	114.4 lm/W	White
TFP1000S-G1 -830-05	White	80	123.3 lm/W	White
TFP1000S-G1 -840-05	White	80	120 lm/W	White
TFP1000S-G1 -865-05	White	80	124.4 lm/W	White
TFP1000S-G1 -850-05	White	80	125.6 lm/W	White
TFP1000S-G1 -927-05	White	90	98 lm/W	2700 K
TFP1000S-G1 -930-05	White	90	104.5 lm/W	3000 K
TFP1000S-G1 -935-05	White	90	105.1 lm/W	3500 K
TFP1000S-G1 -940-05	White	90	105.6 lm/W	4000 K
TFP1500S-G1 -827-05	White	80	115.9 lm/W	White
TFP1500S-G1 -830-05	White	80	122.7 lm/W	White
TFP1500S-G1 -840-05	White	80	123.5 lm/W	White
TFP1500S-G1 -865-05	White	80	125.8 lm/W	White
TFP1500S-G1 -850-05	White	80	126.5 lm/W	White
TFP1500S-G1 -927-05	White	90	97.6 lm/W	2700 K
TFP1500S-G1 -930-05	White	90	103.1 lm/W	3000 K
TFP1500S-G1 -935-05	White	90	104.2 lm/W	3500 K
TFP1500S-G1 -940-05	White	90	104.9 lm/W	4000 K
TFP2000S-G1 -827-05	White	80	190 lm/W	White
TFP2000S-G1 -830-05	White	80	123.2 lm/W	White
TFP2000S-G1 -840-05	White	80	123.9 lm/W	White
TFP2000S-G1 -865-05	White	80	125.2 lm/W	White
TFP2000S-G1 -850-05	White	80	126.5 lm/W	White
TFP2000S-G1 -927-04	White	90	96.5 lm/W	2700 K
TFP2000S-G1 -930-04	White	90	104 lm/W	3000 K
TFP2000S-G1 -935-04	White	90	104.3 lm/W	3500 K
TFP2000S-G1 -940-04	White	90	105.2 lm/W	4000 K

Dimensions & weight


Product description	Length	Product weight
TFP600S-G1 -827-05	5000 mm	278.00 g
TFP600S-G1 -830-05	5000 mm	278.00 g
TFP600S-G1 -840-05	5000 mm	278.00 g

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Length	Product weight
TFP600S-G1 -865-05	5000 mm	278.00 g
TFP600S-G1 -850-05	5000 mm	278.00 g
TFP600S-G1 -927-05	5020 mm	278.00 g
TFP600S-G1 -930-05	5020 mm	278.00 g
TFP600S-G1 -935-05	5020 mm	278.00 g
TFP600S-G1 -940-05	5020 mm	278.00 g
TFP1000S-G1 -827-05	5000 mm	278.00 g
TFP1000S-G1 -830-05	5000 mm	278.00 g
TFP1000S-G1 -840-05	5000 mm	278.00 g
TFP1000S-G1 -865-05	5000 mm	278.00 g
TFP1000S-G1 -850-05	5000 mm	278.00 g
TFP1000S-G1 -927-05	5020 mm	278.00 g
TFP1000S-G1 -930-05	5020 mm	278.00 g
TFP1000S-G1 -935-05	5020 mm	278.00 g
TFP1000S-G1 -940-05	5020 mm	278.00 g
TFP1500S-G1 -827-05	5000 mm	278.00 g
TFP1500S-G1 -830-05	5000 mm	278.00 g
TFP1500S-G1 -840-05	5000 mm	278.00 g
TFP1500S-G1 -865-05	5000 mm	278.00 g
TFP1500S-G1 -850-05	5000 mm	278.00 g
TFP1500S-G1 -927-05	5020 mm	278.00 g
TFP1500S-G1 -930-05	5020 mm	278.00 g
TFP1500S-G1 -935-05	5020 mm	278.00 g
TFP1500S-G1 -940-05	5020 mm	278.00 g
TFP2000S-G1 -827-05	5000 mm	278.00 g
TFP2000S-G1 -830-05	5000 mm	278.00 g
TFP2000S-G1 -840-05	5000 mm	278.00 g
TFP2000S-G1 -865-05	5000 mm	278.00 g
TFP2000S-G1 -850-05	5000 mm	278.00 g
TFP2000S-G1 -927-04	4020 mm	227.00 g
TFP2000S-G1 -930-04	4020 mm	227.00 g
TFP2000S-G1 -935-04	4020 mm	227.00 g
TFP2000S-G1 -940-04	4020 mm	227.00 g

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product line drawing



TFP2000S-G1 -927-04, TFP2000S-G1 -930-04, TFP2000S-G1 -935-04, TFP2000S-G1 -940-04

Temperatures & operating conditions

Product description	Temperature range in operation at Tc point	Temperature range at storage
TFP600S-G1 -827-05	-25…80 °C	-30…85 °C
TFP600S-G1 -830-05	-25…80 °C	-30…85 °C
TFP600S-G1 -840-05	-25…80 °C	-30…85 °C
TFP600S-G1 -865-05	-25…80 °C	-30…85 °C
TFP600S-G1 -850-05	-25…80 °C	-30…85 °C
TFP600S-G1 -927-05	-25…80 °C	-30…85 °C
TFP600S-G1 -930-05	-25…80 °C	-30…85 °C
TFP600S-G1 -935-05	-25…80 °C	-30…85 °C
TFP600S-G1 -940-05	-25…80 °C	-30…85 °C
TFP1000S-G1 -827-05	-25…80 °C	-30…85 °C
TFP1000S-G1 -830-05	-25…80 °C	-30…85 °C
TFP1000S-G1 -840-05	-25…80 °C	-30…85 °C
TFP1000S-G1 -865-05	-25…80 °C	-30…85 °C
TFP1000S-G1 -850-05	-25…80 °C	-30…85 °C
TFP1000S-G1 -927-05	-25…80 °C	-30…85 °C
TFP1000S-G1 -930-05	-25…80 °C	-30…85 °C
TFP1000S-G1 -935-05	-25…80 °C	-30…85 °C

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Temperature range in operation at Tc point	Temperature range at storage
TFP1000S-G1 -940-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -827-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -830-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -840-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -865-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -850-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -927-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -930-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -935-05	-25…80 °C	-30…85 °C
TFP1500S-G1 -940-05	-25…80 °C	-30…85 °C
TFP2000S-G1 -827-05	-25…80 °C	-30…85 °C
TFP2000S-G1 -830-05	-25…80 °C	-30…85 °C
TFP2000S-G1 -840-05	-25…80 °C	-30…85 °C
TFP2000S-G1 -865-05	-25…80 °C	-30…85 °C
TFP2000S-G1 -850-05	-25…80 °C	-30…85 °C
TFP2000S-G1 -927-04	-25…80 °C	-30…85 °C
TFP2000S-G1 -930-04	-25…80 °C	-30…85 °C
TFP2000S-G1 -935-04	-25…80 °C	-30…85 °C
TFP2000S-G1 -940-04	-25…80 °C	-30…85 °C

Additional product data

Product description	Predecessor EAN	ID of contained light source
TFP600S-G1 -827-05	4062172090940	LS_SHZ_600349
TFP600S-G1 -830-05	4062172090988	LS_SHZ_600350
TFP600S-G1 -840-05	4062172091008	LS_SHZ_600351
TFP600S-G1 -865-05	4062172091060	LS_SHZ_600353
TFP600S-G1 -850-05	4062172091046	LS_SHZ_600352
TFP600S-G1 -927-05		LS_SHZ_601069
TFP600S-G1 -930-05		LS_SHZ_601070
TFP600S-G1 -935-05		LS_SHZ_601071
TFP600S-G1 -940-05		LS_SHZ_601072
TFP1000S-G1 -827-05	4062172091084	LS_SHZ_600354
TFP1000S-G1 -830-05	4062172091107	LS_SHZ_600355
TFP1000S-G1 -840-05	4062172091121	LS_SHZ_600367
TFP1000S-G1 -865-05	4062172091169	LS_SHZ_600357
TFP1000S-G1 -850-05	4062172091145	LS_SHZ_600356
TFP1000S-G1 -927-05		LS_SHZ_601073
TFP1000S-G1 -930-05		LS_SHZ_601074
TFP1000S-G1 -935-05		LS_SHZ_601075
TFP1000S-G1 -940-05		LS_SHZ_601076
TFP1500S-G1 -827-05	4062172091183	LS_SHZ_600358
TFP1500S-G1 -830-05	4062172091220	LS_SHZ_600359

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Predecessor EAN	ID of contained light source
TFP1500S-G1 -840-05	4062172091343	LS_SHZ_600360
TFP1500S-G1 -865-05	4062172091381	LS_SHZ_600362
TFP1500S-G1 -850-05	4062172091367	LS_SHZ_600361
TFP1500S-G1 -927-05		LS_SHZ_601077
TFP1500S-G1 -930-05		LS_SHZ_601078
TFP1500S-G1 -935-05		LS_SHZ_601079
TFP1500S-G1 -940-05		LS_SHZ_601080
TFP2000S-G1 -827-05	4062172091404	LS_SHZ_600300
TFP2000S-G1 -830-05	4062172091428	LS_SHZ_600363
TFP2000S-G1 -840-05	4062172091466	LS_SHZ_600364
TFP2000S-G1 -865-05	4062172091527	LS_SHZ_600366
TFP2000S-G1 -850-05	4062172091480	LS_SHZ_600365
TFP2000S-G1 -927-04		LS_SHZ_601081
TFP2000S-G1 -930-04		LS_SHZ_601082
TFP2000S-G1 -935-04		LS_SHZ_601083
TFP2000S-G1 -940-04		LS_SHZ_601084

Certificates & standards

Product description	Standards	Energy efficiency class of the contained light source
TFP600S-G1 -827-05	CE/ENEC/EAC	F
TFP600S-G1 -830-05	CE/ENEC/EAC	F
TFP600S-G1 -840-05	CE/ENEC/EAC	F
TFP600S-G1 -865-05	CE/ENEC/EAC	F
TFP600S-G1 -850-05	CE/ENEC/EAC	F
TFP600S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP600S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP600S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP600S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1000S-G1 -827-05	CE/ENEC/EAC	F
TFP1000S-G1 -830-05	CE/ENEC/EAC	E
TFP1000S-G1 -840-05	CE/ENEC/EAC	E
TFP1000S-G1 -865-05	CE/ENEC/EAC	E
TFP1000S-G1 -850-05	CE/ENEC/EAC	E
TFP1000S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1000S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1000S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1000S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Standards	Energy efficiency class of the contained light source
TFP1500S-G1 -827-05	CE/ENEC/EAC	F
TFP1500S-G1 -830-05	CE/ENEC/EAC	E
TFP1500S-G1 -840-05	CE/ENEC/EAC	E
TFP1500S-G1 -865-05	CE/ENEC/EAC	E
TFP1500S-G1 -850-05	CE/ENEC/EAC	E
TFP1500S-G1 -927-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1500S-G1 -930-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1500S-G1 -935-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP1500S-G1 -940-05	CE/ENEC/EAC/SASO 2927:2019	F
TFP2000S-G1 -827-05	CE/ENEC/EAC	F
TFP2000S-G1 -830-05	CE/ENEC/EAC	E
TFP2000S-G1 -840-05	CE/ENEC/EAC	E
TFP2000S-G1 -865-05	CE/ENEC/EAC	E
TFP2000S-G1 -850-05	CE/ENEC/EAC	E
TFP2000S-G1 -927-04	CE/ENEC/EAC/SASO 2927:2019	F
TFP2000S-G1 -930-04	CE/ENEC/EAC/SASO 2927:2019	F
TFP2000S-G1 -935-04	CE/ENEC/EAC/SASO 2927:2019	F
TFP2000S-G1 -940-04	CE/ENEC/EAC/SASO 2927:2019	F

Logistical data

Product description	Commodity code
TFP600S-G1 -827-05	85395100000
TFP600S-G1 -830-05	85395100000
TFP600S-G1 -840-05	85395100000
TFP600S-G1 -865-05	85395100000
TFP600S-G1 -850-05	85395100000
TFP600S-G1 -927-05	85395100000
TFP600S-G1 -930-05	85395100000
TFP600S-G1 -935-05	85395100000
TFP600S-G1 -940-05	85395100000
TFP1000S-G1 -827-05	85395100000
TFP1000S-G1 -830-05	85395100000
TFP1000S-G1 -840-05	85395100000
TFP1000S-G1 -865-05	85395100000
TFP1000S-G1 -850-05	85395100000
TFP1000S-G1 -927-05	85395100000
TFP1000S-G1 -930-05	85395100000
TFP1000S-G1 -935-05	85395100000

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Commodity code
TFP1000S-G1 -940-05	85395100000
TFP1500S-G1 -827-05	85395100000
TFP1500S-G1 -830-05	85395100000
TFP1500S-G1 -840-05	85395100000
TFP1500S-G1 -865-05	85395100000
TFP1500S-G1 -850-05	85395100000
TFP1500S-G1 -927-05	85395100000
TFP1500S-G1 -930-05	85395100000
TFP1500S-G1 -935-05	85395100000
TFP1500S-G1 -940-05	85395100000
TFP2000S-G1 -827-05	85395100000
TFP2000S-G1 -830-05	85395100000
TFP2000S-G1 -840-05	85395100000
TFP2000S-G1 -865-05	85395100000
TFP2000S-G1 -850-05	85395100000
TFP2000S-G1 -927-04	85395100000
TFP2000S-G1 -930-04	85395100000
TFP2000S-G1 -935-04	85395100000
TFP2000S-G1 -940-04	85395100000

Environmental information

Product description	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TFP600S-G1 -827-05	30-06-2023	4062172134279	Lead
TFP600S-G1 -830-05	30-06-2023	4062172134293	Lead
TFP600S-G1 -840-05	07-07-2023	4062172134316	Lead
TFP600S-G1 -865-05	07-07-2023	4062172134354	Lead
TFP600S-G1 -850-05	07-07-2023	4062172134330	Lead
TFP600S-G1 -927-05	11-01-2023	4062172251075	No declarable substances contained
TFP600S-G1 -930-05	21-07-2023	4062172251136	Lead
TFP600S-G1 -935-05	21-07-2023	4062172251181	Lead
TFP600S-G1 -940-05	11-01-2023	4062172251204	No declarable substances contained
TFP1000S-G1 -827-05	11-01-2023	4062172134378	No declarable substances contained
TFP1000S-G1 -830-05	07-07-2023	4062172134392	Lead
TFP1000S-G1 -840-05	11-01-2023	4062172134415	No declarable substances contained
TFP1000S-G1 -865-05	16-01-2023	4062172134453	No declarable substances contained
TFP1000S-G1 -850-05	11-01-2023	4062172134439	No declarable substances contained
TFP1000S-G1 -927-05	11-01-2023	4062172251228	No declarable substances contained
TFP1000S-G1 -930-05	11-01-2023	4062172251242	No declarable substances contained

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	Date of Declaration	Primary Article Identifier	Candidate List Substance 1
TFP1000S-G1 -935-05	11-01-2023	4062172251266	No declarable substances contained
TFP1000S-G1 -940-05	11-01-2023	4062172251280	No declarable substances contained
TFP1500S-G1 -827-05	11-01-2023	4062172134477	No declarable substances contained
TFP1500S-G1 -830-05	07-07-2023	4062172134491	Lead
TFP1500S-G1 -840-05	11-01-2023	4062172134514	No declarable substances contained
TFP1500S-G1 -865-05	07-07-2023	4062172134552	Lead
TFP1500S-G1 -850-05	11-01-2023	4062172134538	No declarable substances contained
TFP1500S-G1 -927-05	11-01-2023	4062172251303	No declarable substances contained
TFP1500S-G1 -930-05	11-01-2023	4062172251327	No declarable substances contained
TFP1500S-G1 -935-05	11-01-2023	4062172251341	No declarable substances contained
TFP1500S-G1 -940-05	11-01-2023	4062172251389	No declarable substances contained
TFP2000S-G1 -827-05	11-01-2023	4062172134576	No declarable substances contained
TFP2000S-G1 -830-05	11-01-2023	4062172134590	No declarable substances contained
TFP2000S-G1 -840-05	07-07-2023	4062172134613	Lead
TFP2000S-G1 -865-05	07-07-2023	4062172134651	Lead
TFP2000S-G1 -850-05	11-01-2023	4062172134637	No declarable substances contained
TFP2000S-G1 -927-04	21-07-2023	4062172268684	Lead
TFP2000S-G1 -930-04	11-01-2023	4062172268707	No declarable substances contained
TFP2000S-G1 -935-04	11-01-2023	4062172268721	No declarable substances contained
TFP2000S-G1 -940-04	11-01-2023	4062172268745	No declarable substances contained

Product description	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
TFP600S-G1 -827-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	a2cabaee-e95d-4d4d-b218-5d267de2c8d8
TFP600S-G1 -830-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1d81c127-4200-4fa5-89c8-6f3d33b86b0c
TFP600S-G1 -840-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3084a3fb-ddb0-4bb0-98e2-41dbcf449428

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product description	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
TFP600S-G1 -865-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	85bd7099-ae5a-4de3-94c7-617d29f06f1c
TFP600S-G1 -850-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	d0ed097b-61bc-4925-aba6-7680d014e8b5
TFP600S-G1 -927-05			No declarable substances contained
TFP600S-G1 -930-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	c0b39b5c-bbf0-4f4f-83ff-bed1629097bb
TFP600S-G1 -935-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	1a2a5e31-fa32-4e3f-bb7f-08f9d1ee0c47
TFP600S-G1 -940-05			No declarable substances contained
TFP1000S-G1 -827-05			No declarable substances contained
TFP1000S-G1 -830-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	cdaeaa2b-f27b-4f78-9bea-00202f46c4cf
TFP1000S-G1 -840-05			No declarable substances contained
TFP1000S-G1 -865-05			No declarable substances contained
TFP1000S-G1 -850-05			No declarable substances contained
TFP1000S-G1 -927-05			No declarable substances contained
TFP1000S-G1 -930-05			No declarable substances contained
TFP1000S-G1 -935-05			No declarable substances contained
TFP1000S-G1 -940-05			No declarable substances contained
TFP1500S-G1 -827-05			No declarable substances contained
TFP1500S-G1 -830-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	5bfc652b-dee3-4827-b23e-53dc1ef9fdb7
TFP1500S-G1 -840-05			No declarable substances contained
TFP1500S-G1 -865-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	3406bc39-242e-47d2-bf48-dd119ab60118

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Product family datasheet

Product description	CAS No. of substance 1	Safe Use Instruction	Declaration No. in SCIP database
TFP1500S-G1 -850-05			No declarable substances contained
TFP1500S-G1 -927-05			No declarable substances contained
TFP1500S-G1 -930-05			No declarable substances contained
TFP1500S-G1 -935-05			No declarable substances contained
TFP1500S-G1 -940-05			No declarable substances contained
TFP2000S-G1 -827-05			No declarable substances contained
TFP2000S-G1 -830-05			No declarable substances contained
TFP2000S-G1 -840-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	548f0fe9-5cde-4057-820e-1221701228c3
TFP2000S-G1 -865-05	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	2406e974-25b3-4a76-9d1d-302df3a547fb
TFP2000S-G1 -850-05			No declarable substances contained
TFP2000S-G1 -927-04	7439-92-1	The identification of the Candidate List substance is sufficient to allow safe use of the article.	8574fc55-b23b-49b8-9e8d-05e135588cab
TFP2000S-G1 -930-04			No declarable substances contained
TFP2000S-G1 -935-04			No declarable substances contained
TFP2000S-G1 -940-04			No declarable substances contained

Equipment / Accessories

- Simplified connection with optional matching CONNECTsystem
- Flexessories: a complete set of aluminum channels with diffusers and lenses
- Drivers and dimmers: wide selection of OPTOTRONIC 24 V DALI, DMX and BLE

Application advice

For more detailed application information and graphics please see product datasheet.

Sales and Technical Support

Sales and Technical Support www.osram.com

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Download Data

	File
	User instruction TEC Flex IP66
	Product Datasheet TEC Flex Shortpitch IP66 Product Datasheet (EN)
	Brochures Light is strong - Discover the versatile and flexible lighting system OSRAM 24V TEC Flex (EN)
	Certificates TFX ENEC 130520
	Declarations of conformity TECFlex CE 4210017 080823
	CAD data DWG TEC Flex and TEC Flex Shortpitch
	Eulumdat TFP600S G1 827 LDT 291121
	Eulumdat TFP600S-G1-827 LTD 130122
	IES data TFP600S G1 827 IES 291121
	IES data TFP600S-G1-827 IES 130122
	Eulumdat TFP600S G1 830 LDT 291121
	Eulumdat TFP600S-G1-830 LTD 130122
	IES data TFP600S G1 830 IES 291121
	IES data TFP600S-G1-830 IES 130122
	Eulumdat TFP600S G1 840 LDT 291121
	Eulumdat TFP600S-G1-840 LTD 130122
	IES data TFP600S G1 840 IES 291121
	IES data TFP600S-G1-840 IES 130122
	Eulumdat TFP600S G1 865 LDT 291121
	Eulumdat TFP600S-G1-865 LTD 130122
	IES data TFP600S G1 865 IES 291121

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	IES data TFP600S-G1-865 IES 130122
	Eulumdat TFP600S G1 850 LDT 291121
	Eulumdat TFP600S-G1-850 LTD 130122
	IES data TFP600S G1 850 IES 291121
	IES data TFP600S-G1-850 IES 130122
	Eulumdat TFP600S-G1-927 LTD 130122
	IES data TFP600S-G1-927 IES 130122
	Eulumdat TFP600S-G1-930 LTD 130122
	IES data TFP600S-G1-930 IES 130122
	Eulumdat TFP600S-G1-935 LTD 130122
	IES data TFP600S-G1-935 IES 130122
	Eulumdat TFP600S-G1-940 LTD 130122
	IES data TFP600S-G1-940 IES 130122
	Eulumdat TFP1000S G1 827 LDT 291121
	Eulumdat TFP1000S-G1-827 LTD 130122
	IES data TFP1000S G1 827 IES 291121
	IES data TFP1000S-G1-827 IES 130122
	Eulumdat TFP1000S G1 830 LDT 291121
	Eulumdat TFP1000S-G1-830 LTD 130122
	IES data TFP1000S G1 830 IES 291121
	IES data TFP1000S-G1-830 IES 130122
	Eulumdat TFP1000S G1 840 LDT 291121
	Eulumdat TFP1000S-G1-840 LTD 130122

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	IES data TFP1000S G1 840 IES 291121
	IES data TFP1000S-G1-840 IES 130122
	Eulumdat TFP1000S G1 865 LDT 291121
	Eulumdat TFP1000S-G1-865 LTD 130122
	IES data TFP1000S G1 865 IES 291121
	IES data TFP1000S-G1-865 IES 130122
	Eulumdat TFP1000S G1 850 LDT 291121
	Eulumdat TFP1000S-G1-850 LTD 130122
	IES data TFP1000S G1 850 IES 291121
	IES data TFP1000S-G1-850 IES 130122
	Eulumdat TFP1000S-G1-927 LTD 130122
	IES data TFP1000S-G1-927 IES 130122
	Eulumdat TFP1000S-G1-930 LTD 130122
	IES data TFP1000S-G1-930 IES 130122
	Eulumdat TFP1000S-G1-935 LTD 130122
	IES data TFP1000S-G1-935 IES 130122
	Eulumdat TFP1000S-G1-940 LTD 130122
	IES data TFP1000S-G1-940 IES 130122
	Eulumdat TFP1500S G1 827 LDT 291121
	Eulumdat TFP1500S-G1-827 LTD 130122
	IES data TFP1500S G1 827 IES 291121
	IES data TFP1500S-G1-827 IES 130122
	Eulumdat TFP1500S G1 830 LDT 291121

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	Eulumdat TFP1500S-G1-830 LTD 130122
	IES data TFP1500S G1 830 IES 291121
	IES data TFP1500S-G1-830 IES 130122
	Eulumdat TFP1500S G1 840 LDT 291121
	Eulumdat TFP1500S-G1-840 LTD 130122
	IES data TFP1500S G1 840 IES 291121
	IES data TFP1500S-G1-840 IES 130122
	Eulumdat TFP1500S G1 865 LDT 291121
	Eulumdat TFP1500S-G1-865 LTD 130122
	IES data TFP1500S G1 865 IES 291121
	IES data TFP1500S-G1-865 IES 130122
	Eulumdat TFP1500S G1 850 LDT 291121
	Eulumdat TFP1500S-G1-850 LTD 130122
	IES data TFP1500S G1 850 IES 291121
	IES data TFP1500S-G1-850 IES 130122
	Eulumdat TFP1500S-G1-927 LTD 130122
	IES data TFP1500S-G1-927 IES 130122
	Eulumdat TFP1500S-G1-930 LTD 130122
	IES data TFP1500S-G1-930 IES 130122
	Eulumdat TFP1500S-G1-935 LTD 130122
	IES data TFP1500S-G1-935 IES 130122
	Eulumdat TFP1500S-G1-940 LTD 130122
	IES data TFP1500S-G1-940 IES 130122

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	Eulumdat TFP2000S G1 827 LDT 291121
	Eulumdat TFP2000S-G1-827 LTD 130122
	IES data TFP2000S G1 827 IES 291121
	IES data TFP2000S-G1-827 IES 130122
	Eulumdat TFP2000S G1 830 LDT 2911121
	Eulumdat TFP2000S-G1-830 LTD 130122
	IES data TFP2000S G1 830 IES 291121
	IES data TFP2000S-G1-830 IES 130122
	Eulumdat TFP2000S G1 840 LDT 291121
	Eulumdat TFP2000S-G1-840 LTD 130122
	IES data TFP2000S G1 840 IES 291121
	IES data TFP2000S-G1-840 IES 130122
	Eulumdat TFP2000S G1 865 LDT 291121
	Eulumdat TFP2000S-G1-865 LTD 130122
	IES data TFP2000S G1 865 IES 291121
	IES data TFP2000S-G1-865 IES 130122
	Eulumdat TFP2000S G1 850 LDT 291121
	Eulumdat TFP2000S-G1-850 LTD 130122
	IES data TFP2000S G1 850 IES 291121
	IES data TFP2000S-G1-850 IES 130122
	Eulumdat TFP2000S-G1-927 LTD 130122
	IES data TFP2000S-G1-927 IES 130122
	Eulumdat TFP2000S-G1-930 LTD 130122

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

	IES data TFP2000S-G1-930 IES 130122
	Eulumdat TFP2000S-G1-935 LTD 130122
	IES data TFP2000S-G1-935 IES 130122
	Eulumdat TFP2000S-G1-940 LTD 130122
	IES data TFP2000S-G1-940 IES 130122

Ecodesign regulation information:

- This product is considered to be a "containing product" in the sense of Regulations (EU) 2019/2020 and (EU) 2019/2015.
- Tolerances of the reported values, are according to LED Modules Performance standard IEC/EN 62717.
- In general, the replacement of the contained light sources without permanent damage to the product with the use of common available tools is possible in the final application when they can be dismantled from the installation environment and substituted for the necessary number of light sources restoring its full electrical/mechanical/thermal/optical functionality by means of a professional installer.In the contrary, and limited to the LINEARlight Flex Diffuse, LINEARlight Rigid Finesse, GINO LED Flex Diffuse and LUMINENT Milky product families, the contained light source is an integrated part of the containing product and its removal can only be done by causing a permanent damage to the containing product due to its tight mechanical, electrical, optical, thermal interaction and/or environmental protection with or from the containing product. Therefore, a replacement of the light source with the use of common available tools is not justified.
- Dismantling of light sources from containing products at end of life: Containing products with light sources which are scalable in length can be cut to the length of the contained light source and if applicable mechanically detached from protective and/or optical covers. Containing products shall be separated from building material and/or from other additional mounting accessories by means of a professional installer.Separate control gear and light sources must be disposed of at certified disposal companies in accordance with Directive 2012/19/EU (WEEE) in the EU and with Waste Electrical and Electronic Equipment (WEEE) Regulations 2013 in the UK. For this purpose, collection points for recycling centres and take-back systems (CRSO) are available from retailers or private disposal companies, which accept separate control gear and light sources free of charge. In this way, raw materials are conserved and materials are recycled.

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172134279	TFP600S-G1 -827-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm^3	3754.00 g
4062172134293	TFP600S-G1 -830-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm^3	3754.00 g
4062172134316	TFP600S-G1 -840-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm^3	3754.00 g
4062172134354	TFP600S-G1 -865-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm^3	3754.00 g
4062172134330	TFP600S-G1 -850-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm^3	3754.00 g

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Logistical Data

4062172251075	TFP600S-G1 -927-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251136	TFP600S-G1 -930-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251181	TFP600S-G1 -935-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251204	TFP600S-G1 -940-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134378	TFP1000S-G1 -827-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134392	TFP1000S-G1 -830-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134415	TFP1000S-G1 -840-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134453	TFP1000S-G1 -865-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134439	TFP1000S-G1 -850-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251228	TFP1000S-G1 -927-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251242	TFP1000S-G1 -930-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251266	TFP1000S-G1 -935-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251280	TFP1000S-G1 -940-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134477	TFP1500S-G1 -827-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134491	TFP1500S-G1 -830-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134514	TFP1500S-G1 -840-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134552	TFP1500S-G1 -865-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134538	TFP1500S-G1 -850-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251303	TFP1500S-G1 -927-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251327	TFP1500S-G1 -930-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172251341	TFP1500S-G1 -935-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

Logistical Data

4062172251389	TFP1500S-G1 -940-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134576	TFP2000S-G1 -827-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134590	TFP2000S-G1 -830-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134613	TFP2000S-G1 -840-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134651	TFP2000S-G1 -865-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172134637	TFP2000S-G1 -850-05	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3754.00 g
4062172268684	TFP2000S-G1 -927-04	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3244.00 g
4062172268707	TFP2000S-G1 -930-04	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3244.00 g
4062172268721	TFP2000S-G1 -935-04	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3244.00 g
4062172268745	TFP2000S-G1 -940-04	Shipping carton box 10	280 mm x 305 mm x 180 mm	15.37 dm³	3244.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Accessories Optional

Product description	Accessory name	Accessory code
TFP600S-G1 -827-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP600S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP600S-G1 -827-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -827-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP600S-G1 -827-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP600S-G1 -827-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -827-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP600S-G1 -830-05	ENDCAP -IP67 KIT 10PCS	4062172176552

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP600S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP600S-G1 -830-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -830-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP600S-G1 -830-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP600S-G1 -830-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -830-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP600S-G1 -840-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP600S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP600S-G1 -840-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -840-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP600S-G1 -840-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP600S-G1 -840-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -840-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP600S-G1 -865-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP600S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP600S-G1 -865-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -865-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP600S-G1 -865-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP600S-G1 -865-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -865-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP600S-G1 -850-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP600S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	4052899448667

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP600S-G1 -850-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -850-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP600S-G1 -850-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP600S-G1 -850-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -850-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP600S-G1 -927-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP600S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP600S-G1 -927-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -927-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP600S-G1 -927-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -927-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -927-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP600S-G1 -930-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP600S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP600S-G1 -930-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -930-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP600S-G1 -930-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -930-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -930-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP600S-G1 -935-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP600S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP600S-G1 -935-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -935-05	FX-QMS-G1 -TU16H12-300	4052899448964

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP600S-G1 -935-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -935-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -935-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP600S-G1 -940-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP600S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP600S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP600S-G1 -940-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP600S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP600S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP600S-G1 -940-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP600S-G1 -940-05	FX -SC08-G2-CT4PJ	4052899464858
TFP600S-G1 -940-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP600S-G1 -940-05	FX-DCS -G1-GL-25	4052899452244
TFP600S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -827-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1000S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -827-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1000S-G1 -827-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -827-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1000S-G1 -827-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -827-05	FX-DCS -G1-GL-25	4052899452244
TFP1000S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -830-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1000S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -830-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1000S-G1 -830-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -830-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1000S-G1 -830-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -830-05	FX-DCS -G1-GL-25	4052899452244

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP1000S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -840-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1000S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -840-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1000S-G1 -840-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -840-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1000S-G1 -840-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -840-05	FX-DCS -G1-GL-25	4052899452244
TFP1000S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -865-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1000S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -865-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1000S-G1 -865-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -865-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1000S-G1 -865-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -865-05	FX-DCS -G1-GL-25	4052899452244
TFP1000S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -850-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1000S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -850-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1000S-G1 -850-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -850-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1000S-G1 -850-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -850-05	FX-DCS -G1-GL-25	4052899452244
TFP1000S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -927-05	ENDCAP -IP67 KIT 10PCS	4062172176552

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP1000S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -927-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1000S-G1 -927-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -927-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -927-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -927-05	FX-DCS -G1-GL-25	4052899452244
TFP1000S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -930-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1000S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -930-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1000S-G1 -930-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -930-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -930-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -930-05	FX-DCS -G1-GL-25	4052899452244
TFP1000S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -935-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1000S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -935-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1000S-G1 -935-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -935-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -935-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -935-05	FX-DCS -G1-GL-25	4052899452244
TFP1000S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1000S-G1 -940-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1000S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1000S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1000S-G1 -940-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1000S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1000S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	4052899448988

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP1000S-G1 -940-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1000S-G1 -940-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1000S-G1 -940-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1000S-G1 -940-05	FX-DCS -G1-GL-25	4052899452244
TFP1000S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1500S-G1 -827-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -827-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -827-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -827-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1500S-G1 -827-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -827-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1500S-G1 -830-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -830-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -830-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -830-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1500S-G1 -830-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -830-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1500S-G1 -840-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -840-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -840-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -840-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP1500S-G1 -840-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -840-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1500S-G1 -865-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -865-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -865-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -865-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1500S-G1 -865-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -865-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1500S-G1 -850-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -850-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -850-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -850-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP1500S-G1 -850-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -850-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1500S-G1 -927-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -927-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -927-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -927-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -927-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -927-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -927-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -927-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -927-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -927-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -927-05	FX-QMS-G1 -TU16H12LS-300	4052899449046

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP1500S-G1 -930-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -930-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -930-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -930-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -930-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -930-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -930-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -930-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -930-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -930-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -930-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1500S-G1 -935-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -935-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -935-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -935-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -935-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -935-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -935-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -935-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -935-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -935-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -935-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP1500S-G1 -940-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP1500S-G1 -940-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP1500S-G1 -940-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP1500S-G1 -940-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP1500S-G1 -940-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP1500S-G1 -940-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP1500S-G1 -940-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP1500S-G1 -940-05	FX -SC08-G2-CT4PJ	4052899464858
TFP1500S-G1 -940-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP1500S-G1 -940-05	FX-DCS -G1-GL-25	4052899452244
TFP1500S-G1 -940-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -827-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -827-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -827-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -827-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -827-05	FX-QMS-G1 -TU15H6W3-300	4052899448889

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP2000S-G1 -827-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -827-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP2000S-G1 -827-05	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -827-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP2000S-G1 -827-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -827-05	FX-DCS -G1-GL-25	4052899452244
TFP2000S-G1 -827-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -830-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -830-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -830-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -830-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -830-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP2000S-G1 -830-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -830-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP2000S-G1 -830-05	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -830-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP2000S-G1 -830-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -830-05	FX-DCS -G1-GL-25	4052899452244
TFP2000S-G1 -830-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -840-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -840-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -840-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -840-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -840-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP2000S-G1 -840-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -840-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP2000S-G1 -840-05	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -840-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP2000S-G1 -840-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -840-05	FX-DCS -G1-GL-25	4052899452244
TFP2000S-G1 -840-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -865-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -865-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -865-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -865-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -865-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP2000S-G1 -865-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -865-05	FX-QMS-G1 -TU16H12-300	4052899448964

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP2000S-G1 -865-05	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -865-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP2000S-G1 -865-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -865-05	FX-DCS -G1-GL-25	4052899452244
TFP2000S-G1 -865-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -850-05	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -850-05	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -850-05	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -850-05	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -850-05	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP2000S-G1 -850-05	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -850-05	FX-QMS-G1 -TU16H12-300	4052899448964
TFP2000S-G1 -850-05	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -850-05	FX -SC08-G2-C2PF-IP54-0500	4052899464889
TFP2000S-G1 -850-05	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -850-05	FX-DCS -G1-GL-25	4052899452244
TFP2000S-G1 -850-05	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -927-04	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -927-04	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -927-04	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -927-04	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -927-04	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP2000S-G1 -927-04	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -927-04	FX-QMS-G1 -TU16H12-300	4052899448964
TFP2000S-G1 -927-04	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -927-04	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -927-04	FX-DCS -G1-GL-25	4052899452244
TFP2000S-G1 -927-04	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -930-04	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -930-04	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -930-04	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -930-04	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -930-04	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP2000S-G1 -930-04	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -930-04	FX-QMS-G1 -TU16H12-300	4052899448964
TFP2000S-G1 -930-04	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -930-04	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -930-04	FX-DCS -G1-GL-25	4052899452244

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.

TFP2000S-G1 -930-04	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -935-04	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -935-04	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -935-04	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -935-04	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -935-04	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP2000S-G1 -935-04	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -935-04	FX-QMS-G1 -TU16H12-300	4052899448964
TFP2000S-G1 -935-04	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -935-04	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -935-04	FX-DCS -G1-GL-25	4052899452244
TFP2000S-G1 -935-04	FX-QMS-G1 -TU16H12LS-300	4052899449046
TFP2000S-G1 -940-04	ENDCAP -IP67 KIT 10PCS	4062172176552
TFP2000S-G1 -940-04	LTS-SLIMTRACK -2000 KIT 5 PCS	4062172207300
TFP2000S-G1 -940-04	FX-QMS-G1 -T45D19H19-300	4052899448667
TFP2000S-G1 -940-04	FX-QMS-G1 -TU15H6-300	4052899448865
TFP2000S-G1 -940-04	FX-QMS-G1 -TU15H6W3-300	4052899448889
TFP2000S-G1 -940-04	FX-QMS-G1 -TU16H12W3-300	4052899448988
TFP2000S-G1 -940-04	FX-QMS-G1 -TU16H12-300	4052899448964
TFP2000S-G1 -940-04	FX -SC08-G2-CT4PJ	4052899464858
TFP2000S-G1 -940-04	FX -SC08-G2--BTJ-IP54	4052899568853
TFP2000S-G1 -940-04	FX-DCS -G1-GL-25	4052899452244
TFP2000S-G1 -940-04	FX-QMS-G1 -TU16H12LS-300	4052899449046

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

© 2024, Inventronics GmbH. All rights reserved. Inventronics is a licensee of the OSRAM brand. OSRAM is a trademark of ams OSRAM.