


LCD Frame




Protective frame for the LCD Screen OINVLCD.

Allows the screen to be fixed in a more secure place.



Made from ABS construction

Hard wearing and blends into most black vehicle trims.



Supplied with screws and end caps

Screws and end caps provided means it can be fixed once unpacked.



Accessories for inverter

OSRAM POWERinvert PRO is an extensive range of professional heavy duty inverters for remote working. Available in either Pure Sine Wave or Modified Sine Wave for both 12V and 24V applications. OSRAM POWERinvert Pro inverters take the 12V or 24V DC vehicle electrical supply and invert into 230V AC mains power to run and operate electrical equipment from service vehicles. Pure Sine Wave Inverters produce a sine wave with the same frequency as mains power, with no distortion, to power sensitive electronics. Modified Inverters have distorted frequency, meaning they will power less complicated products such as fridges and power tools.

Product datasheet

Technical data


Product information

Application (Category and Product specific)	Inverter accessory
---	--------------------

Physical Attributes & Dimensions

Length	70.0 mm
Width	27.8 mm
Height	99.5 mm

Dimensions & weight



Input Cable Gauge / Length	6 m
----------------------------	-----

Certificates & standards

Standards	ROHS / WEEE
-----------	-------------

Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	26-06-2024
Primary article identifier	4052899631120
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172298872	LCD Frame OINVFRM		- x - x -	51.62 dm ³	

Product datasheet

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Safety advice

Tested and certified to the relevant EMC and LVD Directives.

Legal advice

RoHS and WEEE Approved.

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

The OSRAM logo is displayed in a bold, orange, sans-serif font.