

Данные о продуктовой линейке

## Lightbar FX1000-CB SM GEN 2



**Single mount certified**  
For individual installation



**Up to 635 m long beam**  
Улучшенное освещение  
ближнего и дальнего поля



**Комбинированный луч**  
Designed for both: far-field  
and near-field illumination



**IP & IK protection classes**  
Tested and validated in a DIN-  
certified environmental  
simulation laboratory  
regarding extreme external  
influences such as water, dust,  
shocks, impacts, heat, cold,  
permanent vibrations and  
many more



### Increased brightness for far and near field illumination

Particularly when driving on rural and dirt roads, a greater range of visibility can play a key role in ensuring safety. The LEDriving Lightbar FX1000-CB SM GEN 2 provides additional, near and far field illumination on dark roads with up to 8.000 Lumen. Even in poor visibility conditions or at dusk, the 40 high-performance LEDs reach a light distance of up to 635 meters and daytime lighting conditions with a color temperature of 6000 Kelvin. The driving light impresses with its special reflector design and ensure not only a modern and appealing look but also reduces glare for more visibility on the road. It can be used as both a supplementary LED high beam headlight and a powerful working light. The light is fully ECE-compliant in both versions and therefore suitable for use on roads. Additionally, OSRAM has developed a specially designed mounting kit, compatible with all driving lights of the Functional series FX Gen 2 for individual mounting. Versatile applicable, it defies numerous environmental influences and, thanks to high-quality materials such as the aluminum housing and the stable polycarbonate lens, it is particularly light and at the same time robust and resistant. Complete polarity protection both prevents damage from excess voltage and contributes to a longer lifespan. The LEDriving Lightbar FX1000-CB SM GEN 2 has been tested and validated with the IP-Protection Classes IP6K8 &

IP6K9K in our DIN certified environmental simulation laboratory for extreme external influences regarding water, dust, impacts, heat, cold and permanent vibration. Its variability gives the FX series a flexible range of uses. They can be attached to cars, trucks, agricultural machinery, commercial vehicles, construction vehicles, caravans, off-road vehicles and quads<sup>1)</sup>. OSRAM provides a 5-year guarantee<sup>2)</sup>. 1) OSRAM LEDriving Driving Lights are approved according to ECE regulations and may therefore be installed and operated on public roads. Please note: Special installation regulations apply. In addition to ECE approval of the product, individual special requirements and legislation of the countries must be observed. 2) For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

Данные о продуктовой линейке

Technical data

| Описание продукта                                           | Электрические параметры |                      |                     | Фотометрические данные | Срок службы    |
|-------------------------------------------------------------|-------------------------|----------------------|---------------------|------------------------|----------------|
|                                                             | Номинальное напряжение  | Номинальная мощность | Тестовое напряжение | Световой поток         | Срок службы Тс |
| Lightbar FX1000-CB SM GEN 2<br>LEDDL114-CB SM <sup>1)</sup> | 12/24 V                 | 140 W                | 13,2 V              | 8000 lm                | > 5000 hr      |

| Описание продукта                                           | Сертификаты и Стандарты | Нормативная и природоохранная информация<br>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH) |                      |                                                                                                |
|-------------------------------------------------------------|-------------------------|-------------------------------------------------------------------------------------------------------------------|----------------------|------------------------------------------------------------------------------------------------|
|                                                             | ECE reference number    | Список компонентов вещество 1                                                                                     | CAS-номер вещества 1 | Инструкция по безопасному использованию                                                        |
| Lightbar FX1000-CB SM GEN 2<br>LEDDL114-CB SM <sup>1)</sup> | 50 + 50                 | Lead                                                                                                              | 7439-92-1            | Идентификация вещества из списка компонентов достаточна для безопасного использования изделия. |

| Описание продукта                                           | Номер декларации в базе данных SCIP  |
|-------------------------------------------------------------|--------------------------------------|
| Lightbar FX1000-CB SM GEN 2<br>LEDDL114-CB SM <sup>1)</sup> | c2b80793-fe0b-4e19-b939-6a319f84b67b |

<sup>1)</sup> Beam Pattern: Combo

## Данные о продуктовой линейке

### Загрузка данных

| Файл                                                                                |                                                                                                            |
|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------|
|    | User instruction<br>LEDriving Lightbar FX1000-CB SM                                                        |
|    | User instruction<br>GPRS_Инструкции по символам безопасности                                               |
|    | Movie application<br>OSRAM LEDriving driving and working lights FX1000-CB SM (EN)                          |
|    | Movie application<br>LEDriving D and W Image Video Bringing light to life (EN)                             |
|    | Movie application<br>Working and Driving Lights Amarak Winter                                              |
|    | Movie application<br>LEDriving Driving and Working Lights Reference Video (EN)                             |
|    | Movie application<br>OSRAM LEDdriving and working lights Imagefilm (EN)                                    |
|    | Movie application<br>LEDriving driving & working lights in application (EN)                                |
|  | Movie application<br>OSRAM Quality Testing LEDriving working and driving lights (EN)                       |
|  | Video<br>Light is Quality -OSRAM LEDriving Driving and Working Lights Quality Tests (EN)                   |
|  | Video<br>OSRAM LEDriving driving and working lights: The night doesn't stand a chance                      |
|  | Video<br>OSRAM LEDriving driving and working lights in action - From on road to off road applications (EN) |
|  | Video<br>Reference Number made easy - Making sure your LEDriving Driving Lights are legal on public roads  |
|  | ref_pim_amsproduct360degreeimages<br>LEDriving Lightbar FX1000-CB SM LEDDL114-CB SM                        |

### Советы по безопасности

Более детальная информация об использовании и изображения находятся в техническом паспорте и в руководстве пользователя

### Соответствие стандартам

1) Фары дополнительного света OSRAM LEDriving одобрены в соответствии с правилами ECE, могут устанавливаться и эксплуатироваться на дорогах общего пользования. Обратите внимание: действуют специальные правила установки. Помимо одобрения продукта ECE, необходимо соблюдать особые требования и законодательство стран.2) Больше информации доступно по ссылке: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

### Рекомендации по применению

## Данные о продуктовой линейке

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

### Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.