

Mounting Kit FX GEN 2 Back Brackets



For individual mounting

Enabling different mounting options:
hanging and standing



Easy Installation

Specially designed for easy,
uncomplicated, and flexible assembly



Robust and vibration resistant

Ensuring long life



With the OSRAM LEDriving driving light Functional series FX Gen 2 portfolio, you experience impressive design, high performance and a wide range of possible applications. To attach the driving lights to the vehicle, OSRAM has developed a specially designed mounting kit for individual mounting. The LEDriving Mounting Kit FX GEN 2 Back Brackets for a particular flexible assembly is compatible with all OSRAM LEDriving driving lights of the Functional series FX Gen 2. It can be mounted to the vehicle with only a few screws, it is quick and easy to mount, and this also allows a faster and easier installation of the driving lights. With its robust and vibration resistant components, it is designed for everyday use. Perfectly matched to individual requirements and needs for versatile applications, it enables different mounting options: hanging and side. OSRAM provides a 2-year guarantee on the product¹⁾.

Product datasheet

Technical data

Product information

Application (Category and Product specific)	Accessory Kit - Back Brackets
---	-------------------------------


General Product Information

Global order reference	LEDDL FX ACC101
------------------------	-----------------

Photometric Data

Color temperature	6000 K
-------------------	--------

Physical Attributes & Dimensions



Product weight	512.00 g
Length	72.0 mm
Width	35 mm
Height	48.0 mm

Lifetime Data

Lifespan Tc	> 5000 hr
Guarantee	2 years

Additional product data

Connector to lamp	-
-------------------	---

Capabilities

Technology	LED ¹⁾
------------	-------------------

¹⁾ Light-emitting diode application

Certificates & standards

Product datasheet

Approval marks – approval	-
---------------------------	---

Logistical data

Commodity code	76169990990
----------------	-------------

Environmental & Regulatory Information


Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Primary article identifier	4062172372275
Candidate list substance 1	Lead
CAS No. of substance 1	7439-92-1
Safe use instruction	The identification of the Candidate List substance is sufficient to allow safe use of the article.
Declaration no. in SCIP database	6bb7d596-7bb8-4da4-879c-c1631a6a264e

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172372275	Mounting Kit FX GEN 2 Back Brackets LEDDL FX ACC101	Folding carton box 1	127 mm x 57 mm x 82 mm	0.59 dm ³	543.00 g
4062172372282	Mounting Kit FX GEN 2 Back Brackets LEDDL FX ACC101	Shipping carton box 10	307 mm x 274 mm x 112 mm	9.42 dm ³	5762.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

Download Data

File
 User instruction GPRS_Safety symbols instructions

Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

Legal advice

1)For precise conditions refer to: www.osram.com/am-guarantee

Application advice

Product datasheet

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

OSRAM