Product family datasheet



TRUCKSTAR LED H7

OSRAM's first TRUCKSTAR H7 LED for 24-volt vehicles





Street-Legal1)

The TRUCKSTAR LED -OSRAM's first street-legal1) LED retrofit lamps for 24V Vehicles.



Up to 230% more brightness2) & 6000K

See and be seen with OSRAM. Cool white color temperature similar to daylight. For more safety on the road, especially when driving at night



Heavy Duty Application

Specially developed vibration-resistant design, engineered for the 24V and "heavy duty" range for an up to 5 times longer lifetime3)



4 Year OSRAM Guarantee4)

Systematic quality assurance measures underpin the premium workmanship and functionality of our products. Innovative technology and excellent quality really pay dividends for our customers.



With the TRUCKSTAR H7 LED, OSRAM's first street-legal1) H7

LED retrofit lamp for 24V vehicles is now on the market. For truck drivers, fleet managers and freight forwarders. For trucks, special vehicles, buses, and towing vehicles. For nearly everyone in the "heavy duty" sector and beyond. With the street-legal1) TRUCKSTAR H7-LED for 24V Vehicles you can now upgrade the function of your high- and low beam lights of your vehicle to state-of-the-art LED technology. These LED replacement lamps are suitable as a replacement for conventional H7 lamps and bases. They offer a modern and bright white light with a color temperature of up to 6000 Kelvin and impress with up to 230% more brightness2), while the glare of other road users falls below the permissible maximum values by up to 50%2). In comparison to standard lamps, such as halogen lamps, these LED retrofit lamps consume up to 75% less energy and convince thanks to the LED technology and the especially developed and vibrationresistant design, engineered for the 24V and "heavy duty" range, with up to 5 times longer life time3). You can now replace your vehicle lamps with OSRAM's revolutionary retrofit lamps and experience trend-setting brightness with road approval1) Additionally, OSRAM offers a dedicated guarantee on all TRUCKSTAR LED retrofit lamps4)

Product family datasheet

Technical data

	Product information						
Product description	Order reference	Application (Category and Product specific)	Product legal advice 1	Product leg 2	al advice	Product legal advice 3	
TRUCKSTAR H7 LED	64215DWT S	High and low beam	1)Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb- led	2)In compa the minimu requiremen R112, while is below the maximum permissible up to 50%	im its of ECE e the glare e	3) In comparison to traditional Halogen lamps	
	Electrical dat	a		P	hotometrica	l data	

	Electrical data					Photometrical	data
Product description	Nominal voltage	Power input	Nominal wattage	Power input toleranc e	Test voltage	Light color LED	Luminous flux tolerance
TRUCKSTAR H7 LED	24.0 V	16.0 W	16.00 W	±10 %	28.0 V	Cool white	±10 %

			Dimensions & weight		Lifespan		Additional product data
Product description	Luminous flux	Color temper- ature	Length	Product weight	Lifespan B3	Lifespan Tc	Base (standard designation)
TRUCKSTAR H7 LED	1500 lm	6000 K	77.9 mm	60.00 g	1500 h	2500 h	PX26d
	Capabilities	Certificates	& standards	Environmenta Information a Regulation (E	ccording Ar	t. 33 of EU	
Product description	Technology	Standards		Date of Decla		Primary Artic Identifier	le
TRUCKSTAR H7 LED	LED	ABG		22-01-2024		4062172384	919

Product description	Declaration No. in SCIP database
TRUCKSTAR H7 LED	In work

Product family datasheet

Download Data

	File
7	User instruction TRUCKSTAR LED H7 LED 24V 64215DWTS
7	Brochures TRUCKSTAR LED Compatibility List Trucks (EN)
1	Brochures LEDriving Retrofits - Exchange overview (EN)

Safety advice

Application advice: For more detailed application information and graphics please see product datasheet and user manual.

Legal advice

1) Approved LED light source - only applies to the respective countries in which there is approval or to which an equivalent approval applies and the vehicle models and light functions currently listed in the compatibility list. For more details see www.osram.com/nb-led

2) Compared to the minimum requirements of ECE R112, while the glare is below the maximum permissible values by up to 50%

3) In comparison to traditional Halogen lamps

4) For precise conditions please refer to: www.osram.com/am-guarantee

Application advice

For more detailed application information and graphics please see product datasheet.

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.