

# Flexible Mounting Kit



## 360° Flexible Mounting

Particularly flexible bracket for the installation of the LEDriving working lights Professional Series PX



## Простая установка

The bracket can be fixed to the vehicle with only one central screw



## Matrix Portfolio

A vehicle-specific lighting set-up can be put together individually. Mix & match. Vary and combine



## 5-летняя гарантия OSRAM

OSRAM products are innovative and technologically high-quality products that are carefully tested and subject to the strict monitoring undertaken by the OSRAM quality assurance system



## Professional light for professional work

With the OSRAM LEDriving Professional Series PX working lights portfolio, it is now possible to find exactly the right lighting for a wide range of special professional tasks and applications. Additionally, they can be mounted in three different ways: Direct mounting, flexible standard mounting, and heavy-duty mounting. OSRAM has developed specially designed mounting kits and a cable with DT-connector. The LEDriving Mounting Kit PX for a particular flexible assembly is compatible with all OSRAM LEDriving working lights of the Professional Series PX. It can be mounted to the vehicle with only one central screw, it is quick and easy to mount, and this also allows a faster and easier installation of the LEDriving working lights Professional Series PX. All components of the mounting kit are made of stainless steel, it has a vibration resistance of at least 8g rms and is therefore designed for everyday use on construction site vehicles, tractors, etc. In addition, the bracket can be adjusted to a tilt angle of up to +/- 15 degrees and can even be rotated up to 360° to direct the light of the working lights where it is needed. OSRAM provides a 5-year guarantee on these products<sup>1)2)</sup>

1) Additional working lights without ECE approval for use as work lights are approved for use on any vehicle according to German Road Traffic Licensing Regulations (StVZO) §52 (7). However, they must not be used and switched on while driving. In addition, individual special regulations, and laws of

## Техническое описание продукта

countries outside Germany must be observed.

2) For precise conditions refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

## Техническое описание продукта

### Technical data


#### Информация о продукте

Применение (категория и специфика)	Рабочий свет
------------------------------------	--------------

#### General Product Information

Номер заказа	LEDPWL ACC 101
--------------	----------------

#### Physical Attributes & Dimensions



Вес продукта	174.00 g
Длина	123.3 mm
Ширина	35 mm
Высота	89.0 mm

#### Срок службы

Гарантия	5 years
----------	---------

#### Дополнительные данные

Соединение с лампой	Screw-Connection
---------------------	------------------

#### Условия поставки

Код заказа [PICOS]	73269098900
--------------------	-------------

#### Нормативная и природоохранная информация

<b>Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)</b>	
Основной идентификатор изделия	4062172294768
Список компонентов вещество 1	Lead
CAS-номер вещества 1	7439-92-1

## Техническое описание продукта







Инструкция по безопасному использованию	Идентификация вещества из списка компонентов достаточна для безопасного использования изделия.
Номер декларации в базе данных SCIP	805740d6-70d3-41a2-b8af-283c5c51cf05

### Данные для заказа

Product code	Описание продукта	Упаковка (цена/шт.)	Размеры (длина x ширина x высота)	Объем	Вес брутто
4062172294768	Mounting Kit PX LEDPWL ACC 101	Folding carton box 1	94 mm x 40 mm x 130 mm	0.48 dm <sup>3</sup>	194.00 g
4062172294775	Mounting Kit PX LEDPWL ACC 101	Shipping carton box 30	576 mm x 213 mm x 145 mm	17.79 dm <sup>3</sup>	6074.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Загрузка данных

Файл
 User instruction LEDriving PROFESSIONAL WORKING LIGHTS
 User instruction GPRS_Инструкции по символам безопасности
 Movie application LEDriving D and W Image Video Bringing light to life (EN)
 Movie application LEDriving Driving and Working Lights Reference Video (EN)
 Movie application OSRAM LEDdriving and working lights Imagefilm (EN)
 Movie application OSRAM Quality Testing LEDriving working and driving lights (EN)

#### Советы по безопасности

Более детальная информация об использовании и изображения находятся в техническом паспорте и в руководстве пользователя

#### Соответствие стандартам

1) Дополнительные фары рабочего света, не имеющие одобрения ECE для использования в качестве рабочих фар, могут быть использованы на любом транспортном средстве в соответствии с Правилами лицензирования дорожного движения Германии (StVZO) §52 (7). Однако их использование во время движения запрещено. Кроме того, необходимо учитывать специальные предписания и законодательство других стран. 2) Больше информации доступно по ссылке: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

## Техническое описание продукта

### Рекомендации по применению

Для получения дополнительной информации и изображения продукции, пожалуйста, ознакомьтесь с инструкцией.

### Примечание

В заказ могут быть внесены изменения без предварительного уведомления. Проверьте информацию на наличие ошибок. Убедитесь, что информация актуальна.

The OSRAM logo is displayed in a bold, orange, sans-serif font.