

# LEDsBIKE RACE 50 SET



### Luminosity up to 50 Lux

The powerful LED technology provides wide illumination of up to 60 meters



### Usage time up to 14 hours<sup>1)</sup>

Ideal for long bike rides or commutes without having to worry about recharging



### 3 brightness levels

With three front light brightness levels of 100%, 50% and 25%, you can choose the right light intensity for every situation



### StVZO street legal

Approved according to German StVZO with K-Mark for on-road use



### Your light, your ride, your safety!

Discover the LEDsBIKE RACE 50 SET, the new highlight for all cycling enthusiasts, which takes visibility and versatility to a new level. With three brightness levels (100%, 50%, and 25% brightness), the front light adapts perfectly to any environment. It provides powerful illumination with 50 lux and a range of up to 60 meters. With a battery life of up to 14 hours<sup>1)</sup>, it is ideal for long journeys or commutes without having to worry about recharging. The tool-free 360-degree mounting allows for quick and easy installation, making the LEDsBIKE RACE 50 SET an ideal companion for every cyclist. The included USB-C cable ensures convenient charging of the lithium-ion battery, while the battery and charging indicator keep you informed of the current status. The battery of the front and rear light can be fully charged within 2.5 hours. The high-quality construction, including a black ABS housing and transparent polycarbonate lens, promises durability and reliability. It complies with German road traffic regulations (StVZO) and has the K-marking. With IP44 certification, it is protected against water so that you are safe on the road even in bad weather. OSRAM offers a 2-year guarantee on all LEDsBIKE RACE bicycle lights<sup>2)</sup>.

# Product datasheet

## Technical data

### Product information

Application (Category and Product specific)	LED Bike Lights
---	-----------------

### General Product Information

Global order reference	LEDBL101 SET
------------------------	--------------

### Electrical Data

Nominal voltage	3.7 V
-----------------	-------

### Photometric Data

Nominal luminous flux	100 lm
Color temperature	6300 K
Lux Value	50
Light distance at 1lx	60 m
Light color LED	Cool white

### Lifetime Data

Guarantee	2 years
-----------	---------

### Additional product data

Type of Battery	Lithium Ion
Charging Type	USB-C
Setting	3 settings: eco (25%), low (50%), max (100%)
Usage time	Up to 14 h (front light): eco (25 %): 14 hours; low (50 %): 7.5 hours; max (100 %): 4 hoursUp to 13 h (rear light)

### Capabilities

Technology	LED
------------	-----

### Certificates & standards

Type of protection	IP44
Standards	StVZO

### Environmental & Regulatory Information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACH)	
Date of declaration	22-09-2024

## Product datasheet



Primary article identifier	4062172403832
Candidate list substance 1	No declarable substances contained
Declaration no. in SCIP database	In work

### Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4062172403832	LEDsBIKE RACE 50 SET	HFB 1	115 mm x 55 mm x 165 mm	1.04 dm <sup>3</sup>	223.00 g
4062172403849	LEDsBIKE RACE 50 SET	Shipping carton box 8	248 mm x 248 mm x 196 mm	12.05 dm <sup>3</sup>	2084.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

### Download Data

File	
	User instruction LEDsBIKE RACE 50 SET
	Product movie LEDsBIKE RACE 100 SET Product Trailer EN

#### Safety advice

For detailed application information, please refer to the product data sheet and the user instruction

#### Legal advice

1) Front light usage time varies depending on the brightness level: 25 %: 13 hours; 50 %: 9 hours; 100 %: 4 hours2) For precise conditions please refer to: [www.osram.com/am-guarantee](http://www.osram.com/am-guarantee)

#### Application advice

For more detailed application information and graphics please see product datasheet.

#### Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

# OSRAM