

64672 500 W 240 V

Halogen lamps, medium/high voltage, single-ended



Areas of application

- Professional film and TV work

Product family features

- Operation at mains voltage: 120 V | 230 V | 240 V

- Color temperature: 2,900 K | 3,000 K (with longer lifespan)

- Color temperature: 3,200 K (for professional film and TV work)

- Color temperature: 3,400 K (for maximum luminous efficacy)







Product datasheet

Technical data

Product information

Order reference	64672 M40 500W
-----------------	----------------


Electrical data

Nominal wattage	50000 W
Nominal voltage	240 V
On-mode power	530.00 W
Energy consumption in on-mode	530.0 kWh/1000h

Photometrical data

Color temperature	2900 K
Color rendering index Ra	100
Φuse value refers to luminous flux	360
Correlated color temperature CCT	2842 K
Useful luminous flux (Фuse)	7405 lm
Chromaticity coordinate x	0.449
Chromaticity coordinate y	0.408

Dimensions & weight



Diameter	220 mm
Length	899 mm
Illuminated field	12.0*11.0 mm²
Filament diameter	11.0 mm

Lifespan

Lifespan	2000 h

Product datasheet

Additional product data

Base (standard designation)	GY9.5
Lighting technology used	HL

Capabilities

Burning position	Any
- · · · · · · · · · · · · · · · · · · ·	

Certificates & standards

Energy efficiency class	G
Energy childrency class	G

Country specific categorizations

ANSI code	Other	
Order reference	64672 M40 500W	

Logistical data

Environmental information

Information according Art. 33 of EU Regulation (EC) 1907/2006 (REACh)				
Date of Declaration 22-04-2024				
Primary Article Identifier	4008321098535			
Candidate List Substance 1	No declarable substances contained			
Declaration No. in SCIP database No declarable substances contained				

Product datasheet

Logistical Data

Product code	Product description	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Volume	Gross weight
4008321098535	64672 500 W 240 V	Folding carton box 1	- x - x -		
4008321098542	64672 500 W 240 V	Shipping carton box 12	178 mm x 137 mm x 152 mm	3.71 dm ³	720.00 g

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

References / Links

For further information on pinch technology, please refer to the following brochure:

Disclaimer

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.

[&]quot;A whole lotta shakin' goin' on!" New halogen lamps with quartz pinch technology. (122 W 100 DE 08/05)